

The logo for CLEENOL, featuring the word "CLEENOL" in a bold, blue, sans-serif font. Above the text is a stylized blue wave graphic that spans across the top of the page.

SAFETY DATA SHEET
CLEENOL BLUE LABEL RINSEAID

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CLEENOL BLUE LABEL RINSEAID

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.3. Details of the supplier of the safety data sheet**

Supplier Cleenol Group Ltd
Neville House
Beaumont Road
Banbury
Oxon OX16 1RB
UK
Tel : +44 (0)1295 251721
Fax : +44 (0)1295 269561
sales@cleenol.co.uk

Manufacturer Cleenol Group Ltd
Neville House
Beaumont Road
Banbury
Oxon OX16 1RB
UK
Tel : +44 (0)1295 251721
Fax : +44 (0)1295 269561
sales@cleenol.co.uk

1.4. Emergency telephone number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture**Classification****Physical hazards**

Not Classified

Health hazards

Not Classified

Environmental hazards

Not Classified

2.2. Label elements**Hazard statements**

NC Not Classified

Precautionary statements

CLEENOL BLUE LABEL RINSEAID

P102 Keep out of reach of children.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

FATTY ALCOHOL ETHOXYLATE POLYMER	1-5%
CAS number: — EC number: —	
Classification	Classification (67/548/EEC or 1999/45/EC)
Skin Irrit. 2 - H315	Xi;R36/38.
Eye Irrit. 2 - H319	
PROPAN-2-OL	1-5%
CAS number: 67-63-0 EC number: 200-661-7	
Classification	Classification (67/548/EEC or 1999/45/EC)
Flam. Liq. 2 - H225	F;R11 Xi;R36 R67
Eye Irrit. 2 - H319	
STOT SE 3 - H336	
STOT SE 3 - H336	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****4.2. Most important symptoms and effects, both acute and delayed****4.3. Indication of any immediate medical attention and special treatment needed****SECTION 5: Firefighting measures****5.1. Extinguishing media****5.2. Special hazards arising from the substance or mixture****5.3. Advice for firefighters****SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****6.2. Environmental precautions****6.3. Methods and material for containment and cleaning up****6.4. Reference to other sections****SECTION 7: Handling and storage****7.1. Precautions for safe handling****7.2. Conditions for safe storage, including any incompatibilities****7.3. Specific end use(s)****SECTION 8: Exposure Controls/personal protection****8.1. Control parameters**

CLEENOL BLUE LABEL RINSEAD**Occupational exposure limits****PROPAN-2-OL**

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

WEL = Workplace Exposure Limit

CITRIC ACID (CAS: 77-92-9)**Ingredient comments**

WEL = Workplace Exposure Limits

8.2. Exposure controls**SECTION 9: Physical and Chemical Properties****9.1. Information on basic physical and chemical properties****9.2. Other information****SECTION 10: Stability and reactivity****10.1. Reactivity****10.2. Chemical stability****10.3. Possibility of hazardous reactions****10.4. Conditions to avoid****10.5. Incompatible materials****10.6. Hazardous decomposition products****SECTION 11: Toxicological information****11.1. Information on toxicological effects****SECTION 12: Ecological Information****12.1. Toxicity****12.2. Persistence and degradability****12.3. Bioaccumulative potential****12.4. Mobility in soil****12.5. Results of PBT and vPvB assessment****12.6. Other adverse effects****SECTION 13: Disposal considerations****13.1. Waste treatment methods****SECTION 14: Transport information****14.1. UN number****14.2. UN proper shipping name****14.3. Transport hazard class(es)****14.4. Packing group****14.5. Environmental hazards****14.6. Special precautions for user****14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code****SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.2. Chemical safety assessment****SECTION 16: Other information**

CLEENOL BLUE LABEL RINSEID

Revision date 02/04/2015

Revision 2

Supersedes date 03/03/2015

SDS number 20304

Hazard statements in full

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.