



## SAFETY DATA SHEET CLEENOL SENSES LUXURY LIQUID HAND SOAP

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name CLEENOL SENSES LUXURY LIQUID HAND SOAP

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hand cleaner.

#### 1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd  
Neville House  
Beaumont Road  
Banbury  
Oxon OX16 1RB  
UK  
Tel : +44 (0)1295 251721  
Fax : +44 (0)1295 269561  
sales@cleenol.co.uk

#### 1.4. Emergency telephone number

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)  
Physical and Chemical Hazards Not classified.  
Human health Not classified.  
Environment Not classified.  
Classification (1999/45/EEC) Not classified.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### 2.2. Label elements

Label In Accordance With (EC) No. 1272/2008  
No pictogram required.

Supplemental label information  
EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

## CLEENOL SENSES LUXURY LIQUID HAND SOAP

2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE		< 1%
CAS-No.: 68039-49-6	EC No.: 268-264-1	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412	Classification (67/548/EEC) Xi;R36/38. R43,R52/53.	
BENZYL ALCOHOL		< 1%
CAS-No.: 100-51-6	EC No.: 202-859-9	
Classification (EC 1272/2008) Acute Tox. 4 - H302 Acute Tox. 4 - H332	Classification (67/548/EEC) Xn;R20/22	
BENZYL SALYCILATE		< 1%
CAS-No.: 118-58-1	EC No.:	
Classification (EC 1272/2008) Skin Sens. 1 - H317 Aquatic Chronic 2 - H411	Classification (67/548/EEC) N;R51/53. R43.	
BRONOPOL (INN)		< 1%
CAS-No.: 52-51-7	EC No.: 200-143-0	
Classification (EC 1272/2008) Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400	Classification (67/548/EEC) Xn;R21/22 Xi;R37/38,R41 N;R50	
BUTYLPHENYL METHYLPROPIONAL		< 1%
CAS-No.: 80-54-6	EC No.:	
Classification (EC 1272/2008) Aquatic Chronic 2 - H411	Classification (67/548/EEC) N;R51/53.	
CI45100		< 1%
CAS-No.:	EC No.:	
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.	

## CLEENOL SENSES LUXURY LIQUID HAND SOAP

CITRIC ACID		< 1%
CAS-No.: 77-92-9	EC No.: 201-069-1	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335	Classification (67/548/EEC) Xi;R36/37/38.	
COCOAMIDE DEA		1-5%
CAS-No.: 68603-42-9	EC No.:	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318	Classification (67/548/EEC) Xi;R38,R41.	
GERANIOL		< 1%
CAS-No.: 106-24-1	EC No.:	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317	Classification (67/548/EEC) Xi;R38,R41. R43.	
GLYCEROL		< 1%
CAS-No.: 56-81-5	EC No.: 200-289-5	
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.	
LAURYL BETAINE		< 1%
CAS-No.: 66455-29-6	EC No.: 266-368-1	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318	Classification (67/548/EEC) Xi;R38,R41.	
METHYLCHLOROISOTHAZOLONE		< 1%
CAS-No.: 26172-55-4	EC No.:	
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.	

## CLEENOL SENSES LUXURY LIQUID HAND SOAP

METHYLISOTHIAZOLONE		< 1%
CAS-No.: 2682-20-4	EC No.:	
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.	
PROPAN-2-OL		< 1%
CAS-No.: 67-63-0	EC No.: 200-661-7	
Classification (EC 1272/2008) Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336	Classification (67/548/EEC) F;R11 Xi;R36 R67	
SODIUM CHLORIDE		1-5%
CAS-No.: 7647-14-5	EC No.: 231-598-3	
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.	
SODIUM LAURYL ETHER SULPHATE		1-5%
CAS-No.: 3088-31-1	EC No.: 221-416-0	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36/38.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

Ingestion

Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin contact

Remove contaminated clothing. Rinse immediately with plenty of water.

Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

### 4.3. Indication of any immediate medical attention and special treatment needed

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

**CLEENOL SENSES LUXURY LIQUID HAND SOAP**

## Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

**5.2. Special hazards arising from the substance or mixture****5.3. Advice for firefighters****SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures****6.2. Environmental precautions****6.3. Methods and material for containment and cleaning up**

Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

**6.4. Reference to other sections****SECTION 7: HANDLING AND STORAGE****7.1. Precautions for safe handling****7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

**7.3. Specific end use(s)****SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters**

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
PROPAN-2-OL	WEL	400 ppm	999 mg/m3	500 ppm	1250 mg/m3	

WEL = Workplace Exposure Limit.

**CITRIC ACID (CAS: 77-92-9)**

Ingredient Comments

WEL = Workplace Exposure Limits

**8.2. Exposure controls**

Protective equipment

Hygiene measures

Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

Appearance

Liquid

Colour

Green.

## CLEENOL SENSES LUXURY LIQUID HAND SOAP

Odour Characteristic.  
Initial boiling point and boiling range 100@ 760 mm Hg  
(°C)  
Relative density 1.023@ 20C

### **9.2. Other information**

Volatile Organic Compound (VOC) NIL

## SECTION 10: STABILITY AND REACTIVITY

### **10.1. Reactivity**

### **10.2. Chemical stability**

Stable under normal temperature conditions.

### **10.3. Possibility of hazardous reactions**

### **10.4. Conditions to avoid**

Avoid excessive heat for prolonged periods of time.

### **10.5. Incompatible materials**

### **10.6. Hazardous decomposition products**

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### **11.1. Information on toxicological effects**

Ingestion

May cause discomfort if swallowed.

Skin contact

Skin irritation is not anticipated when used normally.

Eye contact

Spray and vapour in the eyes may cause irritation and smarting.

## SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Not regarded as dangerous for the environment.

### **12.1. Toxicity**

### **12.2. Persistence and degradability**

### **12.3. Bioaccumulative potential**

### **12.4. Mobility in soil**

### **12.5. Results of PBT and vPvB assessment**

### **12.6. Other adverse effects**

## SECTION 13: DISPOSAL CONSIDERATIONS

**CLEENOL SENSES LUXURY LIQUID HAND SOAP****13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements.

**SECTION 14: TRANSPORT INFORMATION**

Road Transport Notes	Not Classified
Rail Transport Notes	Not classified.
Sea Transport Notes	Not classified.
Air Transport Notes	Not classified.

**14.1. UN number****14.2. UN proper shipping name****14.3. Transport hazard class(es)****14.4. Packing group****14.5. Environmental hazards****14.6. Special precautions for user****14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code****SECTION 15: REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

Guidance Notes

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).

**15.2. Chemical Safety Assessment****SECTION 16: OTHER INFORMATION**

Revision Date	07/01/2013
Revision	3
Supersedes date	04/06/2010
SDS No.	D12

## CLEENOL SENSES LUXURY LIQUID HAND SOAP

### Risk Phrases In Full

R20/22	Harmful by inhalation and if swallowed.
R21/22	Harmful in contact with skin and if swallowed.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R11	Highly flammable
R36/38	Irritating to eyes and skin.
R36/37/38	Irritating to eyes, respiratory system and skin.
R36	Irritating to eyes.
R37/38	Irritating to respiratory system and skin.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
NC	Not classified.
R41	Risk of serious damage to eyes.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R67	Vapours may cause drowsiness and dizziness.
R50	Very toxic to aquatic organisms.

### Hazard Statements In Full

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H412	Harmful to aquatic life with long lasting effects.
H225	Highly flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.

### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.