# SAFETY DATA SHEET

# 175 UNIVERSAL ACRYLIC SEALANT - ALL COLOURS

Page 1 Issued: 11/05/2004 Revision No: 2

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING		
Product name:	175 UNIVERSAL ACRYLIC SEALANT - ALL COLOURS	
Product code:	175WE, BN	
Use / description of product:	No significant hazard.	
Company name:	EVERBUILD BUILDING PRODUCTS LTD	
	SITE 41, KNOWSTHORPE WAY	
	CROSS GREEN INDUSTRIAL ESTATE	
	LEEDS	
	WEST YORKSHIRE	
	LS9OSW	
	ENGLAND	
	Tel: 0044 113 240 3456	
	Fax: 0044 113 240 0024	
2. COMPOSITION / INFORMATION ON INGREDIENTS		
Contains:	Contains a plasticised water based acrylic emulsion with dense fillers, very minor amounts of	
	white spirits (ca. 1%), dispersants, bocides, and acrylic associate thickeners.	
3. HAZARDS IDENTIFICA	TION	
Main hazards:	No significant hazard.	
4. FIRST AID MEASURES	(SYMPTOMS)	
	There may be mild irritation at the site of contact.	
Skin contact:	There may be mild irritation at the site of contact.	
Skin contact: Eye contact: Ingestion:	There may be mild irritation at the site of contact. There may be irritation and redness.	
Skin contact: Eye contact: Ingestion:	There may be mild irritation at the site of contact. There may be irritation and redness. There may be irritation of the throat. No symptoms.	
Skin contact: Eye contact: Ingestion: Inhalation: 4. FIRST AID MEASURES	There may be mild irritation at the site of contact. There may be irritation and redness. There may be irritation of the throat. No symptoms.	
Skin contact: Eye contact: Ingestion: Inhalation: 4. FIRST AID MEASURES Skin contact:	There may be mild irritation at the site of contact. There may be irritation and redness. There may be irritation of the throat. No symptoms. (ACTION)	
Skin contact: Eye contact: Ingestion: Inhalation: 4. FIRST AID MEASURES Skin contact: Eye contact:	There may be mild irritation at the site of contact. There may be irritation and redness. There may be irritation of the throat. No symptoms. (ACTION) Wash immediately with plenty of soap and water.	
Skin contact: Eye contact: Ingestion: Inhalation: 4. FIRST AID MEASURES Skin contact: Eye contact:	There may be mild irritation at the site of contact. There may be irritation and redness. There may be irritation of the throat. No symptoms. (ACTION) Wash immediately with plenty of soap and water. Bathe the eye with running water for 15 minutes. Wash out mouth with water.	
Skin contact: Eye contact: Ingestion: Inhalation: 4. FIRST AID MEASURES Skin contact: Eye contact: Ingestion:	There may be mild irritation at the site of contact. There may be irritation and redness. There may be irritation of the throat. No symptoms. (ACTION) Wash immediately with plenty of soap and water. Bathe the eye with running water for 15 minutes. Wash out mouth with water. URES	
Skin contact: Eye contact: Ingestion: Inhalation: 4. FIRST AID MEASURES Skin contact: Eye contact: Ingestion: 5. FIRE-FIGHTING MEAS Extinguishing media:	There may be mild irritation at the site of contact. There may be irritation and redness. There may be irritation of the throat. No symptoms. (ACTION) Wash immediately with plenty of soap and water. Bathe the eye with running water for 15 minutes. Wash out mouth with water. URES	
Skin contact: Eye contact: Ingestion: Inhalation: 4. FIRST AID MEASURES Skin contact: Eye contact: Ingestion: 5. FIRE-FIGHTING MEAS Extinguishing media:	There may be mild irritation at the site of contact. There may be irritation and redness. There may be irritation of the throat. No symptoms. (ACTION) Wash immediately with plenty of soap and water. Bathe the eye with running water for 15 minutes. Wash out mouth with water. URES Suitable extinguishing media for the surrounding fire should be used.	
Skin contact: Eye contact: Ingestion: Inhalation: 4. FIRST AID MEASURES Skin contact: Eye contact: Ingestion: 5. FIRE-FIGHTING MEAS Extinguishing media: Exposure hazards:	There may be mild irritation at the site of contact. There may be irritation and redness. There may be irritation of the throat. No symptoms. (ACTION) Wash immediately with plenty of soap and water. Bathe the eye with running water for 15 minutes. Wash out mouth with water. URES Suitable extinguishing media for the surrounding fire should be used. In combustion emits toxic fumes.	
Skin contact: Eye contact: Ingestion: Inhalation: 4. FIRST AID MEASURES Skin contact: Eye contact: Ingestion: 5. FIRE-FIGHTING MEAS Extinguishing media: Exposure hazards:	There may be mild irritation at the site of contact. There may be irritation and redness. There may be irritation of the throat. No symptoms. (ACTION) (ACTION) (Wash immediately with plenty of soap and water. Bathe the eye with running water for 15 minutes. Wash out mouth with water. (IRES Suitable extinguishing media for the surrounding fire should be used. In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.	
Skin contact: Eye contact: Ingestion: Inhalation: 4. FIRST AID MEASURES Skin contact: Eye contact: Ingestion: 5. FIRE-FIGHTING MEAS Extinguishing media: Exposure hazards: Protection of fire-fighters: 6. ACCIDENTAL RELEAS	There may be mild irritation at the site of contact. There may be irritation and redness. There may be irritation of the throat. No symptoms. (ACTION) (ACTION) (Wash immediately with plenty of soap and water. Bathe the eye with running water for 15 minutes. Wash out mouth with water. (IRES Suitable extinguishing media for the surrounding fire should be used. In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.	
Skin contact: Eye contact: Ingestion: Inhalation: 4. FIRST AID MEASURES Skin contact: Eye contact: Ingestion: 5. FIRE-FIGHTING MEASU Extinguishing media: Exposure hazards: Protection of fire-fighters: 6. ACCIDENTAL RELEASU Personal precautions:	There may be mild irritation at the site of contact. There may be irritation and redness. There may be irritation of the throat. No symptoms. (ACTION) Wash immediately with plenty of soap and water. Bathe the eye with running water for 15 minutes. Wash out mouth with water. URES Suitable extinguishing media for the surrounding fire should be used. In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. EMEASURES	
Skin contact: Eye contact: Ingestion: Inhalation: 4. FIRST AID MEASURES Skin contact: Eye contact: Ingestion: 5. FIRE-FIGHTING MEAS Extinguishing media: Exposure hazards: Protection of fire-fighters: 6. ACCIDENTAL RELEAS Personal precautions: Environmental precautions:	There may be mild irritation at the site of contact. There may be irritation and redness. There may be irritation of the throat. No symptoms. (ACTION) Wash immediately with plenty of soap and water. Bathe the eye with running water for 15 minutes. Wash out mouth with water. URES Suitable extinguishing media for the surrounding fire should be used. In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. E MEASURES Refer to section 8 of SDS for personal protection details.	

# SAFETY DATA SHEET

#### 175 UNIVERSAL ACRYLIC SEALANT - ALL COLOURS

Page 2

7. HANDLING AND STORA		
Storage conditions:	Store in cool, well ventilated area. Store in original containers between +5 and +25 °C. Storage	
	outside these paramaters will dramatically reduce shelf life and invalidates all product	
	warrenties.	
Suitable packaging:	Must only be kept in original packaging.	
8. EXPOSURE CONTROLS / PERSONAL PROTECTION		
<b>Respiratory protection:</b>	Respiratory protection not required.	
Hand protection:	Protective gloves.	
Eye protection:	Safety glasses. Ensure eye bath is to hand.	
Skin protection:	Protective clothing.	
9. PHYSICAL AND CHEMICAL PROPERTIES		
State:	Paste	
Colour:	Various	
Odour:	Barely perceptible odour	
Evaporation rate:	Slow	
Oxidising:	Non-oxidising (by EC criteria)	
Solubility in water:	Miscible	
Viscosity:	Highly viscous	
Viscosity value:	250-350	
Viscosity test method:	x 1000 cps - Brookfield HBDV2+, spindle S70, 10rpm @ 20°C	
<b>Boiling point/range°C:</b>	100	
Flammability limits %: lower:	N/A	
upper:	N/A	
Autoflammability°C:	N/D	
Vapour pressure:	as water	
Relative density:	1.68	
pH:	8.5-9.9	
10. STABILITY AND REACTIVITY		
Stability:	Stable under normal conditions.	
Conditions to avoid:	Heat.	
Materials to avoid:	Strong oxidising agents. Strong acids.	
Haz. decomp. products:	In combustion emits toxic fumes.	
11. TOXICOLOGICAL INFORMATION		
Routes of exposure:	Refer to section 4 of SDS for routes of exposure and corresponding symptoms.	
12. ECOLOGICAL INFORM	IATION	
Persistence and degradability:	No data available.	
<b>Bioaccumulative potential:</b>	No data available.	
	[cont_]	

# SAFETY DATA SHEET

# 175 UNIVERSAL ACRYLIC SEALANT - ALL COLOURS

Other adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS		
<b>Disposal operations:</b>	Dispose of according to local or national legislation	
NB:	The user's attention is drawn to the possible existence of regional or national regulations	
	regarding disposal.	
14. TRANSPORT INFORMA	ATION	
ADR / RID		
UN no:	-	
Shipping name:	"NOT SUBJECT TO ADR"	
IMDG / IMO		
UN no:	_	
IATA / ICAO		
UN no:		
15. REGULATORY INFORMATION		
Hazard symbols:	No significant hazard.	
Note:	The regulatory information given above only indicates the principal regulations specifically	
	applicable to the product described in the safety data sheet. The user's attention is drawn to	
	the possible existence of additional provisions which complete these regulations. Refer to all	
	applicable national, international and local regulations or provisions.	
16. OTHER INFORMATION		
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and shall	
	be used only as a guide. This company shall not be held liable for any damage resulting from	
	handling or from contact with the above product.	