

SANISAFE 4 WIPE

Page: 1

Compilation date: 19/11/2014

Revision date: 27/03/2017

Revision No: 2

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product name: SANISAFE 4 WIPE

Use of substance / mixture: Cleaning wipe.

## 1.3. Details of the supplier of the safety data sheet

Company name: Allied Hygiene Systems Limited

Unit 5

Centurian Way

Erith Kent

**DA18 4AF** 

**Tel:** +44(0)20 8312 1999 **Fax:** +44(0)20 8320 8333

Email: admin@allied-paper.co.uk

# 1.4. Emergency telephone number

# Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Emergency tel: +44(0)20 8312 1999

Classification under CLP: Eye Irrit. 2: H319; Aquatic Chronic 3: H412; -: EUH208

Classification under CHIP: -: R52/53

Most important adverse effects: Contains polymeric biguanide hydrochloride. May produce an allergic reaction. Causes

serious eye irritation. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

### Label elements under CLP:

Hazard statements: EUH208: Contains polymeric biguanide hydrochloride. May produce an allergic reaction.

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



SANISAFE 4 WIPE

Page: 2

Precautionary statements: P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear eye protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents/container to hazardous or special waste collection point.

### 2.3. Other hazards

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

PBT: This product is not identified as a PBT/vPvB substance.

# **Hazardous ingredients:**

#### PROPAN-2-OL

EINECS	CAS	CHIP Classification	CLP Classification	Percent
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	1-10%
			STOT SE 3: H336	

#### BENZYLKONIUM CHLORIDE

270-325-2	68424-85-1	-	Acute Tox. 4: H302+312; Aquatic Acute	<1%
			1: H400; Skin Corr. 1B: H314	

#### POLYMERIC BIGUANIDE HYDROCHLORIDE

-	27083-27-8	-	Acute Tox. 4: H302; Carc. 2: H351;	<1%
			STOT RE 1: H372; Aquatic Acute 1:	
			H400; Aquatic Chronic 1: H410; Eye	
			Dam. 1: H318; Skin Sens. 1B: H317	

### Section 4: First aid measures

# 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: As the substrate is a wipe material ingestion is highly unlikely but in the event do not

induce vomiting and wash mouth out with water.

Inhalation: Not applicable.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: Not applicable.

SANISAFE 4 WIPE

Page: 3

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Immediate / special treatment: Eye bathing equipment should be available on the premises.

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Do not create dust.

## 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers.

## 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

## Section 7: Handling and storage

#### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of dust in the air.

# 7.2. Conditions for safe storage, including any incompatibilities

## 7.3. Specific end use(s)

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**Specific end use(s):** PC8: Biocidal products (e.g. Disinfectants, pest control). PC35: Washing and cleaning products (including solvent based products).

SANISAFE 4 WIPE

Page: 4

# Section 8: Exposure controls/personal protection

### 8.1. Control parameters

## **Hazardous ingredients:**

### **PROPAN-2-OL**

## Workplace exposure limits:

## Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-

### **DNEL/PNEC Values**

## **Hazardous ingredients:**

#### PROPAN-2-OL

Type	Exposure	Value	Population	Effect
DNEL	Oral	26 mg/kg bw/day	Consumers	Systemic
DNEL	Dermal	319 mg/kg bw/day	Consumers	Systemic
DNEL	Dermal	888 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	89 mg/m³	Consumers	Systemic
DNEL	Inhalation	500 mg/m <sup>3</sup>	Workers	Systemic
PNEC	Fresh water	140.9 mg/l	-	-
PNEC	Fresh water sediments	552 mg/kg	-	-
PNEC	Marine water	140.9 mg/l	-	-
PNEC	Marine sediments	552 mg/kg	-	-
PNEC	Soil (agricultural)	28 mg/kg	-	-

## 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

 $\textbf{Respiratory protection:} \ \ \text{Respiratory protection not required.}$ 

**Hand protection:** Personal Protective Equipment, not required under normal use.

Eye protection: Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Personal Protective Equipment, not required under normal use.

Environmental: Refer to specific Member State legislation for requirements under Community

environmental legislation.

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Solid
Colour: Various
Odour: Odourless

Evaporation rate: No data available.

SANISAFE 4 WIPE

Page: 5

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Insoluble

Boiling point/range°C: Not applicable. Melting point/range°C: No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: Not applicable. Part.coeff. n-octanol/water: No data available.

**Autoflammability°C:** No data available. **Vapour pressure:** No data available.

**Relative density:** No data available. **pH:** Not applicable.

VOC g/l: No data available.

### 9.2. Other information

# Section 10: Stability and reactivity

#### 10.1. Reactivity

Other information: No data available.

Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

### 10.3. Possibility of hazardous reactions

Chemical stability: Stable under normal conditions.

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# 10.4. Conditions to avoid

Conditions to avoid: Heat.

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

## **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

# Hazardous ingredients:

# **PROPAN-2-OL**

ORAL	MUS	LD50	3600	mg/kg
ORAL	RAT	LD50	5045	mg/kg

SANISAFE 4 WIPE

Page: 6

#### POLYMERIC BIGUANIDE HYDROCHLORIDE

ORAL	RAT	LD50	>2000	mg/kg
- · · · · -				

Toxicity values: No data available.

## Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: Not applicable.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Other information: Not applicable.

## **Section 12: Ecological information**

## Hazardous ingredients:

12.1. Toxicity

#### **BENZYLKONIUM CHLORIDE**

FISH	96H LC50	1	ma/l
ГІОП	90H LC30	I	mg/l

## POLYMERIC BIGUANIDE HYDROCHLORIDE

DAPHNIA	48H EC50	0.09	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	0.026	mg/l

## 12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

## 12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

Mobility: Insoluble in water.

PBT identification: This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

## Section 13: Disposal considerations

## 13.1. Waste treatment methods

Other adverse effects: Negligible ecotoxicity.

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

SANISAFE 4 WIPE

Page: 7

Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

### Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical Safety Assessment

Specific regulations: Not applicable.

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

## Section 16: Other information

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H225: Highly flammable liquid and vapour.

H302: Harmful if swallowed.

H302+312: Harmful if swallowed or in contact with skin.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven

that no other routes of exposure cause the hazard>.

H372: Causes damage to organs <or state all organs affected, if known> through

prolonged or repeated exposure <state route of exposure if it is conclusively proven that

no other routes of exposure cause the hazard>.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

**Legend to abbreviations:** PNEC = predicted no effect level

# SANISAFE 4 WIPE

Page: 8

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.