## Item number: 53708 Tube Brush, Ø60 mm, 510 mm, Medium, Purple

C. C. C. C. None of the Constant of the Consta



This is the largest diameter of the tube cleaners. It is widely used to clean pipes, tap outlets and narrow spaces between machine parts. The filaments are attached to a twisted stainless steel rod which makes chemical resistant and strong.

## **Technical data**

GTIN-14 Number15705020337087Commodity Code96039099Suitable for Food Contact (EU 1935/2004), DoCYesFDA compliant raw material (CFR 21)YesProduced according to EU Regulation 2023/2006/EC of GoodYesBa danufacturing PracticeYesBroduced according to EU Regulation 2023/2006/EC of GoodYesBiste DescriptionMediumVisiole bristle length27 mmMaterialPolypropylene, Polyster, StainlessColourPurpleBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)840 PcsBox Length380 mmBox Width385 mmBox Width385 mmBox Width60 mmLength60 mmVisiole Dimeter0.008 kgColour0.018 kgProduct Diameter0.028 kgContry of originDenmarkMaterial0.028 kgMuterial0.028 kgCounty of originDenmarkMax Leaning temperature (Ior food contact)80 °CelaisMax usage temperature (Ior food contact)80 °CelaisMax usage temperature (Ior food contact)80 °CelaisMin. usage temperature (Ior food contact)80 °Celais<	Gtin-13 Number	5705020537080
Suitable for Food Contact (EU 1935/2004), DoCYesFDA compliant raw material (CFR 21)YesProduced according to EU Regulation 2023/2006/EC of GoodYesUse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionMediumVisible bristle length27 mmMaterialPolypropylene, Polyester, Stainless SteelColourPurpleBox Quantity16 Pcs.Quantity per Pallet (80 x 120 x 200 cm)840 PcsBox Length580 mmBox Width385 mmBox Height130 mmProduct Diameter60 mmLength510 mmWidth65 mmMaterial0.002165 MColour0.002165 MMaterial0.002165 MColour0.002165 MColour0.002165 MColour0.002165 MColour0.002165 MMaterial0.002165 MColour0.002165 MColour0.002165 MCountry of originDenmarkMax cleaning temperature (Dishwasher)93 °CelsiusMax usage temperature (Ior food contact)80 °CelsiusMax usage temperature (Ior food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	GTIN-14 Number	15705020537087
FDA compliant raw material (CFR 21) Yes   Produced according to EU Regulation 2023/2006/EC of Good Yes   Use of Phthalates (e.g. Bisphenol A) No   Is Halal compliant Yes   Bristle Description Medium   Visible bristle length 27 mm   Material Polypropylene, Polyester, Stainless Steel   Colour Purple   Box Quantity 15 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 840 Pcs   Box Length 580 mm   Box Width 385 mm   Box Height 130 mm   Product Diameter 60 mm   Length 510 mm   Width 65 mm   Height 0.002155 M   Country of origin Denmark   Max cleaning temperature (Autoclave) 121 "Celsius   Max. usage temperature (for food contact) 80 "Celsius   Max. usage temperature (non food contact) 80 "Celsius   Min. usage temperature -20 "Celsius	Commodity Code	96039099
Produced according to EU Regulation 2023/2006/EC of Good   Yes     Manufacturing Practice   No     Use of Phthalates (e.g. Bisphenol A)   No     Is Halal compliant   Yes     Bristle Description   Medium     Visible bristle length   27 mm     Material   Polypropylene, Polyester, Stainless Steel     Colour   Purple     Box Quantity   15 Pcs.     Quantity per Pallet (80 x 120 x 200 cm)   840 Pcs     Box Length   580 mm     Box Width   385 mm     Box Height   130 mm     Product Diameter   60 mm     Length   510 mm     Width   65 mm     Box Weight   0.02155 mt     Height   60 mm     Cubik metre   0.002155 mt     Cubik metre   0.002155 mt     Max cleaning temperature (Autoclave)   121 "Celsius     Max. cleaning temperature (Iolshwasher)   80 "Celsius     Max. usage temperature (on food contact)   80 "Celsius     Max. usage temperature (no food contact)   80 "Celsius     Max. usage tempera	Suitable for Food Contact (EU 1935/2004), DoC	Yes
Manufacturing PracticeItesUse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionMediumVisible bristle length27 mmMaterialPolypropylene, Polyester, StainlessColourPurpleBox Quantity15 Pes.Quantity per Pallet (80 x 120 x 200 cm)840 PcsBox Length580 mmBox Vidth385 mmBox Vidth385 mmBox Vidth60 mmLength510 mmVidth65 mmHeight00 mmCourty of origin0.98 kgCubik metre0.002155 MMax cleaning temperature (Dishwasher)93 "CelsiusMax usage temperature (non food contact)80 "CelsiusMax usage temperature-20 "CelsiusMin. usage temperature-20 "CelsiusMin. pH-value in usage concentration21Min. pH-value in usage concentration20Country of celsius-20 "Celsius	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes   Bristle Description Medium   Visible bristle length 27 mm   Material Polypropylene, Polyester, Stainless Steel   Colour Purple   Box Quantity 15 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 840 Pcs   Box Length 580 mm   Box Vidth 385 mm   Box Height 130 mm   Product Diameter 60 mm   Length 510 mm   Width 65 mm   Height 0.002 hs mm   Gross Weight 0.128 kg   Net Weight 0.0098 kg   Cublik metre 0.002 hs mm   Max cleaning temperature (Distwasher) 93 "Celsius   Max. usage temperature (for food contact) 80 "Celsius   Max usage temperature (non food contact) 80 "Celsius   Min. usage temperature -20 "Celsius   Min. pH-value in usage concentration 2		Yes
Bristle Description Medium   Visible bristle length 27 mm   Material Polypropylene, Polyester, Stainless Steel   Colour Purple   Box Quantity 15 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 840 Pcs   Box Length 580 mm   Box Width 385 mm   Box Height 130 mm   Product Diameter 60 mm   Length 510 mm   Width 65 mm   Height 0.02155 M   Country of origin Denmark   Max cleaning temperature (Autoclave) 121 "Celsius   Max. cleaning temperature (for food contact) 80 "Celsius   Max. usage temperature (for food contact) 80 "Celsius   Min. usage temperature (non food contact) 80 "Celsius   Min. pH-value in usage concentration 2	Use of Phthalates (e.g. Bisphenol A)	No
Visible bristle length 27 mm   Material Polypropylene, Polyester, Stainless Steel   Colour Purple   Box Quantity 15 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 840 Pcs   Box Length 580 mm   Box Width 385 mm   Box Height 130 mm   Product Diameter 60 mm   Length 510 mm   Width 65 mm   Height 60 nm   Conss Weight 0.028 kg   Cubik metre 0.002155 M   Country of origin Denmark   Max cleaning temperature (Autoclave) 121 "Celsius   Max. usage temperature (for food contact) 80 "Celsius   Max. usage temperature (for food contact) 80 "Celsius   Min. usage temperature (non food contact) 80 "Celsius   Min. usage temperature (non food contact) 80 "Celsius	Is Halal compliant	Yes
Material Polypropylene, Polyester, Stainless Steel   Colour Purple   Box Quantity 15 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 840 Pcs   Box Length 580 mm   Box Width 385 mm   Box Height 130 mm   Product Diameter 60 mm   Length 510 mm   Width 65 mm   Height 0.02155 mm   Gross Weight 0.128 kg   Net Weight 0.002155 M   Country of origin Denmark   Max cleaning temperature (Autoclave) 121 °Celsius   Max. usage temperature (for food contact) 80 °Celsius   Max. usage temperature (on food contact) 80 °Celsius   Min. usage temperature (non food contact) 80 °Celsius	Bristle Description	Medium
MaterialSteelColourPurpleBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)840 PcsBox Length580 mmBox Width385 mmBox Height130 mmProduct Diameter60 mmLength510 mmWidth65 mmHeight0.02155 MGross Weight0.098 kgCubik metre0.002155 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Visible bristle length	27 mm
Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)840 PcsBox Length580 mmBox Kleight385 mmBox Height130 mmProduct Diameter60 mmLength510 mmWidth65 mmGross Weight0.128 kgNet Weight0.098 kgCubik metre0.002155 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax. usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Material	
Quantity per Pallet (80 x 120 x 200 cm)840 PcsBox Length580 mmBox Width385 mmBox Height130 mmProduct Diameter60 mmLength510 mmWidth65 mmHeight60 mmCorss Weight0.128 kgNet Weight0.098 kgCubik metre0.002155 MCountry of originDenmarkMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Colour	Purple
Box Length580 mmBox Width385 mmBox Height130 mmProduct Diameter60 mmLength510 mmWidth65 mmHeight60 mmGross Weight0.128 kgNet Weight0.098 kgCubik metre0.002155 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage concentration2	Box Quantity	15 Pcs.
Box Width385 mmBox Height130 mmProduct Diameter60 mmLength510 mmWidth65 mmHeight60 mmGross Weight0.128 kgNet Weight0.098 kgCubik metre0.002155 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (Dishwasher)93 °CelsiusMax. usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Quantity per Pallet (80 x 120 x 200 cm)	840 Pcs
Box Height130 mmProduct Diameter60 mmLength510 mmWidth65 mmHeight60 mmGross Weight0.128 kgNet Weight0.098 kgCubik metre0.002155 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Length	580 mm
Product Diameter60 mmLength510 mmWidth65 mmHeight60 mmGross Weight0.128 kgNet Weight0.098 kgCubik metre0.002155 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax usage temperature (for food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius	Box Width	385 mm
Length510 mmWidth65 mmHeight60 mmGross Weight0.128 kgNet Weight0.098 kgCubik metre0.002155 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Height	130 mm
Width65 mmHeight60 mmGross Weight0.128 kgNet Weight0.128 kgCubik metre0.098 kgCubik metre0.002155 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Product Diameter	60 mm
Height60 mmGross Weight0.128 kgNet Weight0.098 kgCubik metre0.002155 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Length	510 mm
Gross Weight0.128 kgNet Weight0.098 kgCubik metre0.002155 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Width	65 mm
Net Weight0.098 kgCubik metre0.002155 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Height	60 mm
Cubik metre0.002155 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Gross Weight	0.128 kg
Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Net Weight	0.098 kg
Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Cubik metre	0.002155 M
Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Country of origin	Denmark
Max. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max cleaning temperature (Autoclave)	121 °Celsius
Max usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. cleaning temperature (Dishwasher)	93 °Celsius
Min. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. usage temperature (for food contact)	80 °Celsius
Min. pH-value in usage concentration2	Max usage temperature (non food contact)	80 °Celsius
	Min. usage temperature	-20 °Celsius
Max. pH-value in Usage Concentration10.5	Min. pH-value in usage concentration	2
	Max. pH-value in Usage Concentration	10.5

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.