## Item number: 53705 Tube Brush, Ø60 mm, 510 mm, Medium, White

Constant of the second second second



This is the largest diameter of the tube cleaners. It is widely used to clean pipes, tap outlets and narrow spaces between machine parts. The filaments are attached to a twisted stainless steel rod which makes chemical resistant and strong.

## **Technical data**

| Gtin-13 Number   | 5705020053702                                |
|--|--|
| GTIN-14 Number   | 15705020053709                               |
| Commodity Code   | 96039099                                     |
| Suitable for Food Contact (EU 1935/2004), DoC                                      | Yes  |
| FDA compliant raw material (CFR 21)  | Yes  |
| Produced according to EU Regulation 2023/2006/EC of Good<br>Manufacturing Practice | Yes  |
| Use of Phthalates (e.g. Bisphenol A)   | No   |
| Is Halal compliant   | Yes  |
| Bristle Description  | Medium                                       |
| Visible bristle length   | 27 mm  |
| Material   | Polypropylene, Polyester, Stainless<br>Steel |
| Colour   | White  |
| Box Quantity   | 15 Pcs.                                      |
| Quantity per Pallet (80 x 120 x 200 cm)  | 840 Pcs                                      |
| Box Length   | 580 mm                                       |
| Box Width  | 385 mm                                       |
| Box Height   | 130 mm                                       |
| Product Diameter   | 60 mm  |
| Length   | 510 mm                                       |
| Width  | 65 mm  |
| Height   | 60 mm  |
| Gross Weight   | 0.128 kg                                     |
| Net Weight   | 0.098 kg                                     |
| Cubik metre  | 0.002155 M                                   |
| Country of origin  | Denmark                                      |
| Max cleaning temperature (Autoclave)   | 121 °Celsius                                 |
| Max. cleaning temperature (Dishwasher)   | 93 °Celsius                                  |
| Max. usage temperature (for food contact)  | 80 °Celsius                                  |
| Max usage temperature (non food contact)   | 80 °Celsius                                  |
| Min. usage temperature   | -20 °Celsius                                 |
| Min. pH-value in usage concentration   | 2  |
| Max. pH-value in Usage Concentration   | 10.5   |
|  |  |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.