Item number: 53801033

Pipe Cleaning Brush f/handle, Ø103 mm, Medium, Blue





This tube brush has bristles along the sides as well as in the front. It is used in areas where a wider tube cleaning action is required or where the equipment being cleaned, has an end point that cannot be reached with a hand brush. Also used for drain cleaning.

Technical data

GTIN-14 Number 15705025808121 Commodity Code 96030909 Suitable for Food Contact (EU 1935/2004), DoC Yes FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good anunfacturing Practice No Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 37 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 12 Pes. Quantity per Pallet (80 x 120 x 200 cm) 576 Pes Box Length 410 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Gross Weight 101 km Net Weight 0.10 km Cubik metre 0.007 km Cubik metre 0.007 km Max cleaning temperature (Autoclave) 121 °Celsius Max usage temperature (Infood contact)	Gtin-13 Number	5705025380315
Suitable for Food Contact (EU 1935/2004), DoC Yes FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 576 Pcs Box Length 410 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Width 100 mm Gross Weight 0.16 kg Cubik metre 0.0017 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Dishwasher) 33 °Celsius Max. usage temperature (non food contact) 40 °Celsius Min. m. pt-value in usage concentration 20 °Celsius	GTIN-14 Number	15705025380312
FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 37 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 576 Pcs Box Length 410 mm Box Width 300 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Gross Weight 0.162 kg Net Weight 0.162 kg Cubik metre 0.0017 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Dishwasher) 33 °Celsius Max. usage temperature (non food contact) 40 °Celsius Min. usage temperature 20 °Celsius Min. usage tempera	Commodity Code	96039099
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 37 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 576 Pcs Box Length 410 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Gross Weight 0.16 kg Net Weight 0.18 kg Cubik metre 0.0017 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (For food contact) 40 °Celsius Max. usage temperature (non food contact) 40 °Celsius Min. usage temperature 20 °Celsius	Suitable for Food Contact (EU 1935/2004), DoC	Yes
Manufacturing Practice Test Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 37 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 576 Pcs Box Length 410 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Gross Weight 0.182 kg Net Weight 0.182 kg Cubik metre 0.0017 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 "Celsius Max. cleaning temperature (For food contact) 40 "Celsius Max. usage temperature (non food contact) 40 "Celsius Min. usage temperature 20 "Celsius Min. usage temperature 20 "Celsius </th <td>FDA compliant raw material (CFR 21)</td> <td>Yes</td>	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Bristle Description Medium Visible bristle length 37 mm Material Polypropylene, Polyester, Staintees States Colour Blue Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 576 Pcs Box Length 410 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Gross Weight 0.16 kg Cubik metre 0.0017 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 "Celsius Max. cleaning temperature (Oishwasher) 93 "Celsius Max. usage temperature (for food contact) 40 "Celsius Max usage temperature (non food contact) 80 "Celsius Min. usage temperature -20 "Celsius Min. pH-value in usage concentration 2		Yes
Bristle Description Medium Visible bristle length 37 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 576 Pcs Box Length 410 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Gross Weight 0.182 kg Net Weight 0.182 kg Cubik metre 0.0017 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Use of Phthalates (e.g. Bisphenol A)	No
Visible bristle length 37 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 576 Pcs Box Length 410 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Gross Weight 0.182 kg Net Weight 0.160 kg Cubik metre 0.0017 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Is Halal compliant	Yes
Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 576 Pcs Box Length 410 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Gross Weight 101 mm Gross Weight 101 mm Cubik metre 0.0017 M Country of origin Denmark Max cleaning temperature (Autoclave) Max. usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usa	Bristle Description	Medium
Colour Blue Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 576 Pcs Box Length 410 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Gross Weight 0.182 kg Net Weight 0.182 kg Cubik metre 0.0017 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Visible bristle length	37 mm
Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 576 Pcs Box Length 410 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Gross Weight 0.182 kg Net Weight 0.16 kg Cubik metre 0.0017 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius	Material	
Quantity per Pallet (80 x 120 x 200 cm)576 PcsBox Length410 mmBox Width300 mmBox Height210 mmProduct Diameter103 mmLength170 mmWidth100 mmHeight0.182 kgNet Weight0.182 kgCubik metre0.0017 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Colour	Blue
Box Length 410 mm Box Width 300 mm Box Height 210 mm Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Gross Weight 0.182 kg Net Weight 0.16 kg Cubik metre 0.0017 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Box Quantity	12 Pcs.
Box Width300 mmBox Height210 mmProduct Diameter103 mmLength170 mmWidth100 mmHeight100 mmGross Weight0.182 kgNet Weight0.16 kgCubik metre0.0017 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature40 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Quantity per Pallet (80 x 120 x 200 cm)	576 Pcs
Box Height210 mmProduct Diameter103 mmLength170 mmWidth100 mmHeight100 mmGross Weight0.182 kgNet Weight0.16 kgCubik metre0.0017 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Length	410 mm
Product Diameter 103 mm Length 170 mm Width 100 mm Height 100 mm Gross Weight 0.182 kg Net Weight 0.16 kg Cubik metre 0.0017 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Box Width	300 mm
Length170 mmWidth100 mmHeight100 mmGross Weight0.182 kgNet Weight0.16 kgCubik metre0.0017 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature50 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Height	210 mm
Width100 mmHeight100 mmGross Weight0.182 kgNet Weight0.16 kgCubik metre0.0017 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Product Diameter	103 mm
Height100 mmGross Weight0.182 kgNet Weight0.16 kgCubik metre0.0017 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Length	170 mm
Gross Weight0.182 kgNet Weight0.16 kgCubik metre0.0017 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Width	100 mm
Net Weight0.16 kgCubik metre0.0017 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Height	100 mm
Cubik metre0.0017 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Gross Weight	0.182 kg
Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Net Weight	0.16 kg
Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Cubik metre	0.0017 M
Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Country of origin	Denmark
Max. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max cleaning temperature (Autoclave)	121 °Celsius
Max usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. cleaning temperature (Dishwasher)	93 °Celsius
Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Max. usage temperature (for food contact)	40 °Celsius
Min. pH-value in usage concentration 2	Max usage temperature (non food contact)	80 °Celsius
	Min. usage temperature	-20 °Celsius
Max. pH-value in Usage Concentration 10.5	Min. pH-value in usage concentration	2
	Max. pH-value in Usage Concentration	10.5

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.			