Item number: 70412 Deck Scrub, waterfed, 270 mm, Very hard, Green





This is a very hard short bristled scrubbing broom. When dirt is stubborn and sticky it can withstand hard downward force from the user. Its small size means it is used for concentrated work or in small environments.

## **Technical data**

GTIN-14 Number15705020704120Commodity Code96039099Suitable for Food Contact (EU 1935/2004), DoCYesFDA compliant raw material (CFR 21)YesProduced according to EU Regulation 2023/2006/EC of GoodYesJuse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionVery hardVisible bristle length24 mmMaterialPolypropylene, Polyester, Stainless SteelColourGreenBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)800 PcsBox Length380 mmBox Height175 mmLength270 mmWidth75 mmHeight0.33 kgCourty originDenmarkMaterial0.33 kgGrubit Metre0.00231 MMaterial0.33 kgCourty of originDenmarkMax cleaning temperature (Autoclave)121 "CelsiusMax. usage temperature (for food contact)40 "CelsiusMax usage temperature (for food contact)60 "CelsiusMin. usage temperature (no food contact)60 "CelsiusMin. pH-value in usage concentration21CelsiusMax. usage temperature (no food contact)60 "CelsiusMax. PH-value in usage concentration21Max. PH-value in usage concentration21Max. Dealing temperature (no food contact)60 "CelsiusMax. hyperature (no food contact)60 "CelsiusMax. hyperature (no food contact)60 "Celsius<	Gtin-13 Number	5705020704123
Suitable for Food Contact (EU 1935/2004), DoCYesFDA compliant raw material (CFR 21)YesProduced according to EU Regulation 2023/2006/EC of GoodYesUse of Phthalates (e.g. Bisphenol A)NoIs Halai compliantYesBristle DescriptionVery hardVisible bristle length24 mmMaterialPolypropylene, Polyester, Stainless SteelColourGreenBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)800 PcsBox Length380 mmBox Width290 mmBox Height175 mmLength35 mmGrees Weight0.414 kgNuth75 mmHeight0.39 kgCubik metre0.00231 MCoutry of originDenmarkMax cleaning temperature (Autoclave)121 "CelsiusMax. usage temperature (for food contact)40 "CelsiusMax usage temperature (on food contact)80 "CelsiusMin. usage temperature-20 "CelsiusMin. pH-value in usage concentration2	GTIN-14 Number	15705020704120
FDA compliant raw material (CFR 21) Yes   Produced according to EU Regulation 2023/2006/EC of Good Yes   Use of Phthalates (e.g. Bisphenol A) No   Is Halal compliant Yes   Bristie Description Very hard   Visible bristle length 24 mm   Material Polypropylene, Polyester, Stainless Steel   Colour Green   Box Quantity 10 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs   Box Length 380 mm   Box Width 290 mm   Box Kleight 175 mm   Length 270 mm   Width 55 mm   Gress Weight 0.414 kg   Net Weight 0.39 kg   Cubik metre 0.00231 M   Max cleaning temperature (Autoclave) 121 °Celsius   Max. usage temperature (or food contact) 40 °Celsius   Max usage temperature (no food contact) 80 °Celsius   Min. usage temperature -20 °Celsius	Commodity Code	96039099
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesUse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionVery hardVisible bristle length24 mmMaterialPolypropylene, Polyester, Stainless SteelColourGreenBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)800 PcsBox Height270 mmBox Height175 mmLength270 mmWidth95 mmGress Weight0.414 kgNet Weight0.39 kgCubik metre0.00231 MCourty of originDenmarkMax. usage temperature (Dishwasher)93 "CelsiusMax. usage temperature (non food contact)80 "CelsiusMin. usage temperature-20 "CelsiusMin. pH-value in usage concentration2	Suitable for Food Contact (EU 1935/2004), DoC	Yes
Manufacturing PracticeTesUse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionVery hardVisible bristle length24 mmMaterialPolypropylene, Polyester, Stainless SteelColourGreenBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)800 PcsBox Keight380 mmBox Width290 mmBox Width290 mmBox Width75 mmLength770 mmWidth0.51 mmGross Weight0.414 kgNet Weight0.39 kgCountry of originDenmarkMax cleaning temperature (Dishwasher)93 "CelsiusMax usage temperature (for food contact)80 "CelsiusMax usage temperature (non food contact)80 "CelsiusMin. pH-value in usage concentration20Min. pH-value in usage concentration20	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes   Bristle Description Very hard   Visible bristle length 24 mm   Material Polypropylene, Polyester, Stainless Steel   Colour Green   Box Quantity 10 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs   Box Length 380 mm   Box Width 290 mm   Box Height 175 mm   Length 270 mm   Width 95 mm   Gress Weight 0.39 kg   Cubik metre 0.00231 M   Country of origin Denmark   Max cleaning temperature (Dishwasher) 93 °Celsius   Max. usage temperature (for food contact) 40 °Celsius   Min. usage temperature (non food contact) 80 °Celsius   Min. pH-value in usage concentration 2		Yes
Bristle DescriptionVery hardVisible bristle length24 mmMaterialPolypropylene, Polyester, Stainless SteelColourGreenBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)800 PcsBox Length380 mmBox Width290 mmBox Height175 mmLength270 mmWidth95 mmGross Weight0.414 kgNet Weight0.39 kgCubik metre0.00231 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMin. usage temperature (non food contact)80 °CelsiusMin. pH-value in usage concentration2Max. PH-value in usage concentration2	Use of Phthalates (e.g. Bisphenol A)	No
Visible bristle length 24 mm   Material Polypropylene, Polyester, Stainless Steel   Colour Green   Box Quantity 10 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 800 Pcs   Box Length 380 mm   Box Width 290 mm   Box Height 175 mm   Length 270 mm   Width 75 mm   Height 95 mm   Gross Weight 0.414 kg   Net Weight 0.39 kg   Cubik metre 0.00231 M   Country of origin Denmark   Max cleaning temperature (Autoclave) 121 °Celsius   Max. usage temperature (for food contact) 40 °Celsius   Max usage temperature (non food contact) 80 °Celsius   Min. usage temperature -20 °Celsius	Is Halal compliant	Yes
MaterialPolypropylene, Polyester, Stainless SteelColourGreenBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)800 PcsBox Length380 mmBox Width290 mmBox Height175 mmLength270 mmWidth95 mmGross Weight0.414 kgNet Weight0.39 kgCubik metre0.00231 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Bristle Description	Very hard
MaterialSteelColourGreenBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)800 PcsBox Length380 mmBox Width290 mmBox Height175 mmLength270 mmWidth75 mmHeight95 mmGross Weight0.414 kgNet Weight0.39 kgCubik metre0.00231 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Visible bristle length	24 mm
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)800 PcsBox Length380 mmBox Width290 mmBox Height175 mmLength270 mmWidth75 mmHeight95 mmGross Weight0.414 kgNet Weight0.39 kgCubik metre0.00231 MCountry of originDenmarkMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (no food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Material	
Quantity per Pallet (80 x 120 x 200 cm)800 PcsBox Length380 mmBox Width290 mmBox Height175 mmLength270 mmWidth75 mmHeight95 mmGross Weight0.414 kgNet Weight0.39 kgCubik metre0.00231 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Colour	Green
Box Length380 mmBox Width290 mmBox Height175 mmLength270 mmWidth75 mmHeight95 mmGross Weight0.414 kgNet Weight0.39 kgCubik metre0.00231 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (Dishwasher)93 °CelsiusMax. usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Quantity	10 Pcs.
Box Width290 mmBox Height175 mmLength270 mmWidth75 mmHeight95 mmGross Weight0.414 kgNet Weight0.39 kgCubik metre0.00231 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Quantity per Pallet (80 x 120 x 200 cm)	800 Pcs
Box Height175 mmLength270 mmWidth75 mmHeight95 mmGross Weight0.414 kgNet Weight0.39 kgCubik metre0.00231 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax usage temperature (for food contact)40 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Length	380 mm
Length270 mmWidth75 mmHeight95 mmGross Weight0.414 kgNet Weight0.39 kgCubik metre0.00231 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Width	290 mm
Width75 mmHeight95 mmGross Weight0.414 kgNet Weight0.39 kgCubik metre0.00231 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Height	175 mm
Height95 mmGross Weight0.414 kgNet Weight0.39 kgCubik metre0.00231 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Length	270 mm
Gross Weight0.414 kgNet Weight0.39 kgCubik metre0.00231 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Width	75 mm
Net Weight0.39 kgCubik metre0.00231 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Height	95 mm
Cubik metre0.00231 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Gross Weight	0.414 kg
Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Net Weight	0.39 kg
Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Cubik metre	0.00231 M
Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Country of origin	Denmark
Max. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max cleaning temperature (Autoclave)	121 °Celsius
Max usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. cleaning temperature (Dishwasher)	93 °Celsius
Min. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. usage temperature (for food contact)	40 °Celsius
Min. pH-value in usage concentration2	Max usage temperature (non food contact)	80 °Celsius
	Min. usage temperature	-20 °Celsius
Max. pH-value in Usage Concentration10.5	Min. pH-value in usage concentration	2
	Max. pH-value in Usage Concentration	10.5

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended

use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.