Item number: 70673 Washing Brush w/Angle adjustment, waterfed, 240 mm, Soft/split, Blue





This unique brush has split fibre bristles which absorbs liquid so that the user is able to effciently carry soapy water from bucket to wall / machine. It is soft enough to use on sensitive surfaces. The waterfed design makes is excellent for rinsing after foaming. Used a dusting brush. The neck angle is adjustable and so that all bristles are always in contact with the surface.

Technical data

GTIN-14 Number15705020706735Commodity Code96039099Suitable for Food Contact (EU 1935/2004), DoCYesFDA compliant raw material (CFR 21)YesProduced according to EU Regulation 2023/2006/EC of GoodYesJuse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionSoft/splitVisible bristle length44 mmMaterialPolypropylene, Polyester, Stainless SteelColourBlueBox Quantity4 Pcs.Quantity per Pallet (80 x 120 x 200 cm)416 PcsBox Height144 mmGross Weight295 mmBox Height145 mmLength240 mmWidth130 mmHeight0.438 kgColouringDenmarkBox Height0.438 kgContry of originDenmarkMax cleaning temperature (Autoclave)121 "CelsiusMax. usage temperature (for food contact)40 "CelsiusMax. usage temperature (for food contact)40 "CelsiusMax. usage temperature (on food contact)40 "CelsiusMin. usage temperature (on food contact)20 "CelsiusMin. usage temperature (on food contact)20 "CelsiusMin. pH-value in usage concentration21Superation21Max. Delaning temperature (on food contact)40 "CelsiusMin. pH-value in usage concentration21Max. height10.5	Gtin-13 Number	5705020706738
Suitable for Food Contact (EU 1935/2004), DoC Yes FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Soft/split Visible bristle length 44 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 4 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 416 Pcs Box Length 385 mm Box Vidth 295 mm Box Height 145 mm Length 240 mm Width 130 mm Height 0.448 kg Net Weight 0.438 kg Cubik metre 0.004524 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 "Celsius Max. usage temperature (for food contact) 40 "Celsius Max. usage temperature (for od contact) 80 "Celsius Max. usage temperature (on food contact) 80 "Celsius Max. usage temperature -20 "Celsius	GTIN-14 Number	15705020706735
FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Soft/split Visible bristle length 44 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 4 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 416 Pcs. Box Height 145 mm Length 240 mm Width 295 mm Box Keight 0.43 kg Neight 0.43 kg Cubik metre 0.004524 M Cubik metre 0.004524 M Max. cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Iof food contact) 40 °Celsius Max. usage temperature (no food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Commodity Code	96039099
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesUse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionSoft/splitVisible bristle length44 mmMaterialPolypropylene, Polyester, Stainless SteelColourBlueBox Quantity4 Pcs.Quantity per Pallet (80 x 120 x 200 cm)416 Pcs.Box Height145 mmLength295 mmBox Kidth295 mmBox Kidth240 mmWidth130 mmHeight145 mmCubik metre0.004524 MCubik metre0.004524 MCubik metre0.004524 MCubik metre0.004524 MCubik metre93 "CelsiusMax. usage temperature (Dishwasher)93 "CelsiusMax. usage temperature (non food contact)80 "CelsiusMin. usage temperature-20 "CelsiusMin. usage temperature <t< td=""><td>Suitable for Food Contact (EU 1935/2004), DoC</td><td>Yes</td></t<>	Suitable for Food Contact (EU 1935/2004), DoC	Yes
Manufacturing PracticeTesUse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionSoft/splitVisible bristle length44 mmMaterialPolypropylene, Polyester, Stainless SteelColourBlueBox Quantity4 Pcs.Quantity per Pallet (80 x 120 x 200 cm)416 Pcs.Box Height385 mmBox Kidth295 mmBox Width295 mmBox Width145 mmLength240 mmWidth130 mmHeight0.448 kgNet Weight0.438 kgCountry of originDenmarkMax cleaning temperature (Dishwasher)93 "CelsiusMax. usage temperature (for food contact)80 "CelsiusMax usage temperature (non food contact)80 "CelsiusMin. pH-value in usage concentration2Min. pH-value in usage concentration2	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Bristle Description Soft/split Visible bristle length 44 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 4 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 416 Pcs Box Length 385 mm Box Width 295 mm Box Height 145 mm Length 240 mm Width 130 mm Height 0.489 kg Net Weight 0.438 kg Cubik metre 0.004524 M Country of origin Denmark Max. cleaning temperature (Autoclave) 121 "Celsius Max. usage temperature (for food contact) 40 "Celsius Max. usage temperature (for food contact) 80 "Celsius Min. usage temperature -20 "Celsius Min. pH-value in usage concentration 2		Yes
Bristle DescriptionSoft/splitVisible bristle length44 mmMaterialPolypropylene, Polyester, StanlessColourBlueBox Quantity4 Pcs.Quantity per Pallet (80 x 120 x 200 cm)416 PcsBox Length385 mmBox Width295 mmBox Height145 mmLength240 mmWidth130 mmHeight0.489 kgNet Weight0.438 kgCubik metre0.004524 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 "CelsiusMax. usage temperature (for food contact)40 "CelsiusMin. usage temperature (non food contact)80 "CelsiusMin. pH-value in usage concentration2Max. PI-value in usage concentration2	Use of Phthalates (e.g. Bisphenol A)	No
Visible bristle length 44 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 4 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 416 Pcs Box Length 385 mm Box Width 295 mm Box Height 145 mm Length 240 mm Width 130 mm Height 0.489 kg Net Weight 0.43 kg Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (for food contact) 40 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Is Halal compliant	Yes
Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 4 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 416 Pcs Box Length 385 mm Box Width 295 mm Box Height 145 mm Length 240 mm Width 130 mm Height 145 mm Gross Weight 0.489 kg Net Weight 0.43 kg Cubik metre 0.004524 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max. usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Bristle Description	Soft/split
MaterialSteelColourBlueBox Quantity4 Pcs.Quantity per Pallet (80 x 120 x 200 cm)416 PcsBox Length385 mmBox Kleight295 mmBox Height145 mmLength240 mmWidth130 mmHeight145 mmCoustry of origin0.489 kgCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Visible bristle length	44 mm
Box Quantity4 Pcs.Quantity per Pallet (80 x 120 x 200 cm)416 PcsBox Length385 mmBox Width295 mmBox Height145 mmLength240 mmWidth130 mmHeight145 mmGross Weight0.489 kgNet Weight0.43 kgCubik metre0.004524 MCountry of originDenmarkMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Material	
Quantity per Pallet (80 x 120 x 200 cm)416 PcsBox Length385 mmBox Width295 mmBox Height145 mmLength240 mmWidth130 mmHeight145 mmGross Weight0.489 kgNet Weight0.438 kgCubik metre0.004524 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Colour	Blue
Box Length385 mmBox Width295 mmBox Height145 mmLength240 mmWidth130 mmHeight145 mmGross Weight0.489 kgNet Weight0.438 kgCubik metre0.004524 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (Dishwasher)93 °CelsiusMax. usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Quantity	4 Pcs.
Box Width295 mmBox Height145 mmLength240 mmWidth130 mmHeight145 mmGross Weight0.489 kgNet Weight0.43 kgCubik metre0.004524 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (for food contact)40 °CelsiusMax usage temperature (for food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Quantity per Pallet (80 x 120 x 200 cm)	416 Pcs
Box Height145 mmLength240 mmWidth130 mmHeight145 mmGross Weight0.489 kgNet Weight0.43 kgCubik metre0.004524 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax usage temperature (for food contact)40 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Length	385 mm
Length240 mmWidth130 mmHeight145 mmGross Weight0.489 kgNet Weight0.43 kgCubik metre0.004524 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Width	295 mm
Width130 mmHeight145 mmGross Weight0.489 kgNet Weight0.43 kgCubik metre0.004524 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Height	145 mm
Height145 mmGross Weight0.489 kgNet Weight0.43 kgCubik metre0.004524 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Length	240 mm
Gross Weight0.489 kgNet Weight0.43 kgCubik metre0.004524 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Width	130 mm
Net Weight0.43 kgCubik metre0.004524 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Height	145 mm
Cubik metre0.004524 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Gross Weight	0.489 kg
Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Net Weight	0.43 kg
Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Cubik metre	0.004524 M
Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Country of origin	Denmark
Max. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max cleaning temperature (Autoclave)	121 °Celsius
Max usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. cleaning temperature (Dishwasher)	93 °Celsius
Min. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. usage temperature (for food contact)	40 °Celsius
Min. pH-value in usage concentration2	Max usage temperature (non food contact)	80 °Celsius
	Min. usage temperature	-20 °Celsius
Max. pH-value in Usage Concentration10.5	Min. pH-value in usage concentration	2
	Max. pH-value in Usage Concentration	10.5

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended

use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.