Item number: 38853

Round Hand Scrub, Ø110 mm, Hard, Blue





The raised grip means that the operators' hands do not easily touch surfaces and chemicals. Advantages of this design are; the worker can exert greater pressure before his knuckles make contact with the surface, used for cleaning inside machines where the entry point is the same size as the hand, great for cleaning a box-shaped containers as the angled bristles reach into the corners.

Technical data

GTIN-14 Number 15705020388535 Commodity Code 96030909 Suitable for Food Contact (EU 1936/2004), DoC Yes FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good danufacturing Practice No Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Hard Visible bristle length 44 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1200 Pcs. Box Length 385 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Width 110 mm Wet Weight 0.257 kg Coubik metre 0.014 kg Coubik metre 0.014 kg Coubik metre 0.014 kg Coubik metre 0.012 °C lesius Max. cleaning temperature (Autoclave) 121	Gtin-13 Number	5705020388538
Suitable for Food Contact (EU 1935/2004), DoC Yes FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Hard Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1200 Pcs Box Length 385 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Width 110 mm Gross Weight 0.257 kg Net Weight 0.242 kg Cubik metre 0.00169 M Country of origin Denmark Max. cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Dishwasher) 33 °Celsius Max. usage temperature (non food contact) 40 °Celsius	GTIN-14 Number	15705020388535
FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Hard Visible bristle length 44 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1200 Pcs Box Length 385 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Height 110 mm Gross Weight 0.257 kg Net Weight 0.242 kg Cubik metre 0.00169 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Dishwasher) 93 °Celsius Max. usage temperature (non food contact) 40 °Celsius Min. usage temper	Commodity Code	96039099
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Hard Visible bristle length 44 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1200 Pcs Box Length 385 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Height 110 mm Gross Weight 0.257 kg Net Weight 0.257 kg Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Dishwasher) 93 °Celsius Max. usage temperature (non food contact) 40 °Celsius Min. usage temperature -20 °Celsius Min. usage temperature -20 °Celsius	Suitable for Food Contact (EU 1935/2004), DoC	Yes
Manufacturing Practice Use of Phthalates (e.g. Bisphenol A) Is Halal compliant Yes Bristle Description Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1200 Pcs Box Length 385 mm Box Width 290 mm Box Helght 175 mm Product Diameter 110 mm Width 110 mm Width 110 mm Width 110 mm Gross Weight 0.257 kg Net Weight 0.242 kg Cubik metre 0.00169 M Country of origin Denmark Max. cleaning temperature (Autoclave) Max. usage temperature (For food contact) Max usage temperature Min. usage temperature Min. pH-value in usage concentration Moves the single standards and service standar	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Bristle Description Hard Visible bristle length 44 mm Material Polypropylene, Polyester, Stainess Sites Colour Blue Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1200 Pcs Box Length 385 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Gross Weight 0.257 kg Net Weight 0.257 kg Cubik metre 0.00169 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 "Celsius Max. cleaning temperature (Oishwasher) 93 "Celsius Max. usage temperature (for food contact) 40 "Celsius Min. usage temperature -20 "Celsius Min. pH-value in usage concentration 2		Yes
Bristle Description Hard Visible bristle length 44 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1200 Pcs Box Length 385 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Gross Weight 0.257 kg Net Weight 0.242 kg Cubik metre 0.00169 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Use of Phthalates (e.g. Bisphenol A)	No
Visible bristle length 44 mm Material Polypropylene, Polyester, Stainless Steel Colour Blue Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1200 Pcs Box Length 385 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Height 110 mm Gross Weight 0.257 kg Net Weight 0.242 kg Cubik metre 0.00169 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Is Halal compliant	Yes
MaterialPolypropylene, Polyester, Stainless SteelColourBlueBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)1200 PcsBox Length385 mmBox Width290 mmBox Height175 mmProduct Diameter110 mmLength110 mmWidth110 mmHeight110 mmGross Weight0.257 kgNet Weight0.242 kgCubik metre0.00169 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius	Bristle Description	Hard
Colour Blue Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1200 Pcs Box Length 385 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Height 110 mm Gross Weight 0.257 kg Net Weight 0.242 kg Cubik metre 0.00169 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Visible bristle length	44 mm
Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1200 Pcs Box Length 385 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Height 110 mm Gross Weight 0.257 kg Net Weight 0.242 kg Cubik metre 0.00169 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius	Material	
Quantity per Pallet (80 x 120 x 200 cm)1200 PcsBox Length385 mmBox Width290 mmBox Height175 mmProduct Diameter110 mmLength110 mmWidth110 mmHeight0.257 kgNet Weight0.242 kgCubik metre0.00169 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius	Colour	Blue
Box Length 385 mm Box Width 290 mm Box Height 175 mm Product Diameter 110 mm Length 110 mm Width 110 mm Height 110 mm Gross Weight 0.257 kg Net Weight 0.242 kg Cubik metre 0.00169 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Box Quantity	15 Pcs.
Box Width290 mmBox Height175 mmProduct Diameter110 mmLength110 mmWidth110 mmHeight110 mmGross Weight0.257 kgNet Weight0.242 kgCubik metre0.00169 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature40 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Quantity per Pallet (80 x 120 x 200 cm)	1200 Pcs
Box Height175 mmProduct Diameter110 mmLength110 mmWidth110 mmHeight110 mmGross Weight0.257 kgNet Weight0.242 kgCubik metre0.00169 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Length	385 mm
Product Diameter110 mmLength110 mmWidth110 mmHeight110 mmGross Weight0.257 kgNet Weight0.242 kgCubik metre0.00169 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Width	290 mm
Length110 mmWidth110 mmHeight110 mmGross Weight0.257 kgNet Weight0.242 kgCubik metre0.00169 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Height	175 mm
Width110 mmHeight110 mmGross Weight0.257 kgNet Weight0.242 kgCubik metre0.00169 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Product Diameter	110 mm
Height110 mmGross Weight0.257 kgNet Weight0.242 kgCubik metre0.00169 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Length	110 mm
Gross Weight0.257 kgNet Weight0.242 kgCubik metre0.00169 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Width	110 mm
Net Weight0.242 kgCubik metre0.00169 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Height	110 mm
Cubik metre0.00169 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Gross Weight	0.257 kg
Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Net Weight	0.242 kg
Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Cubik metre	0.00169 M
Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Country of origin	Denmark
Max. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max cleaning temperature (Autoclave)	121 °Celsius
Max usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. cleaning temperature (Dishwasher)	93 °Celsius
Min. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. usage temperature (for food contact)	40 °Celsius
Min. pH-value in usage concentration 2	Max usage temperature (non food contact)	80 °Celsius
	Min. usage temperature	-20 °Celsius
Max. pH-value in Usage Concentration 10.5	Min. pH-value in usage concentration	2
	Max. pH-value in Usage Concentration	10.5

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.		