Item number: 53544 Tube Brush f/flexible handle 53515 or 53525, Ø12 mm, 200 mm, Medium, Red



Brush for flexible handle, 53515 and 53525 Suitable for cleaning pipes in dairies, breweries and the fishing industry.

Technical data

Commodity Code96039099Suitable for Food Contact (EU 1935/2004), DoCYesFDA compliant raw material (CFR 21)YesProduced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesUse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionMedlumVisible bristle length5 mmMaterialPolypropylene, Polyester, StainlessColourRedBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)5060 PcsBox Height280 mmBox Width125 mmProduct Diameter12 mmLength200 mmWidth12 mmHeight0.031 kgNut Weight0.031 kgNut Weight0.023 kgCoury of originDenmarkMax cleaning temperature (Autoclave)121 *CelsiusMax. usage temperature (Dishwasher)93 *CelsiusMax usage temperature (non food contact)40 *CelsiusMin. naage temperature-20 *CelsiusMin. naage temperature-20 *CelsiusMin. naage temperature-20 *CelsiusMin. naage temperature-20 *CelsiusMin. pH-value in usage concentration2	Gtin-13 Number	5705020535444
Suitable for Food Contact (EU 1935/2004), DoC Yes FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 5 mm Material Polypropylene, Polyester, Stainless Colour Red Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5060 Pcs Box Length 280 mm Box Height 126 mm Box Height 0 mm Product Diameter 12 mm Length 200 mm Width 12 mm Length 0.031 kg Not 12 mm Keight 0.023 kg Cubik metre 2.9E-05 M Country of origin Denmark Max Leaning temperature (Autoclave) 121 "Celsius Max Leaning temperature (Dishwasher) 33 "Celsius Max usage temperature (Ior food contact) 40 "Celsius Max usage temperature (Ior food contact) <	GTIN-14 Number	15705020535441
FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 5 mm Material Polypropylene, Polyester, Stainless Colour Red Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5060 Pcs Box Length 280 mm Box Width 125 mm Box Width 122 mm Length 0.031 kg Width 12 mm Length 0.031 kg Not Weight 0.023 kg Culur of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max. usage temperature (on food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Commodity Code	96039099
Produced according to EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice No Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 5 mm Material Polypropylene, Polyester, Stainless Colour Red Box Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) 5060 Pcs Box Length 280 mm Box Vidth 125 mm Box Vidth 120 mm Product Diameter 12 mm Length 200 mm Width 12 mm Height 0.031 kg Net Weight 0.023 kg Cubik metre 2.9E-05 M Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Ishwasher) 33 °Celsius Max. usage temperature (on food contact) 40 °Celsius Max. usage temperature (on food contact) 60 °Celsius Max. usage temperature (on food contact) 60 °Celsius Max. usage temperature (on food contact) 60 °Celsius	Suitable for Food Contact (EU 1935/2004), DoC	Yes
Manufacturing PracticeTestUse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionMediumVisible bristle length5 mmMaterialPolypropylene, Polyester, Stainless SteelColourRedBox Quantity10 PcsQuantity per Pallet (80 x 120 x 200 cm)5060 PcsBox Length280 mmBox Width125 mmBox Width125 mmBox Width120 mmProduct Diameter12 mmLength200 mmWidth12 mmLength0.031 kgNot Weight0.033 kgCubik metre2.9E-05 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 *CelsiusMax usage temperature (for food contact)40 *CelsiusMax usage temperature-20 *CelsiusMin. usage temperature-20 *CelsiusMin. pH-value in usage concentration2Zor20 *CelsiusMin. pH-value in usage concentration2	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Bristle Description Medium Visible bristle length 5 mm Material Polypropylene, Polyester, Stainless Steel Colour Red Box Quantity OP Pallet (80 x 120 x 200 cm) 5060 Pcs Box Length 280 mm Box Width 125 mm Box Width 125 mm Box Height 80 mm Product Diameter 12 mm Length 200 mm Width 122 mm Height 0.031 kg Net Weight 0.031 kg Net Weight 0.023 kg Cubik metre 2.9E-05 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 "Celsius Max. cleaning temperature (for food contact) 40 "Celsius Max usage temperature (non food contact) 80 "Celsius Min. usage temperature (non food contact) 20 "Celsius Min. pH-value in usage concentration 22		Yes
Bristle Description Medium Visible bristle length 5 mm Material Polypropylene, Polyester, Stainless Steel Colour Red Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5060 Pcs Box Length 280 mm Box Width 125 mm Box Height 80 mm Product Diameter 12 mm Length 200 mm Width 12 mm Medium 12 mm Length 200 mm Width 12 mm Length 200 mm Width 12 mm Medium 12 mm Gross Weight 0.031 kg Cubik metre 2.9E-05 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. usage temperature -20 °Celsius	Use of Phthalates (e.g. Bisphenol A)	No
Visible bristle length 5 mm Material Polypropylene, Polyester, Stainless Steel Colour Red Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5060 Pcs Box Length 280 mm Box Width 125 mm Box Height 80 mm Product Diameter 12 mm Length 200 mm Width 12 mm Height 12 mm Gross Weight 0.031 kg Net Weight 0.031 kg Cubik metre 2.9E-05 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Dishwasher) 93 °Celsius Max usage temperature (non food contact) 40 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Is Halal compliant	Yes
Material Polypropylene, Polyester, Stainless Steel Colour Red Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5060 Pcs. Box Length 280 mm. Box Width 125 mm. Box Height 80 mm. Product Diameter 12 mm. Length 200 mm. Width 12 mm. Height 12 mm. Height 12 mm. Gross Weight 0.031 kg. Net Weight 0.023 kg. Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (non food contact) 40 °Celsius Min. usage temperature (non food contact) 80 °Celsius Min. usage temperature (non food contact) 80 °Celsius	Bristle Description	Medium
MaterialKarther is steelColourRedBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)5060 PcsBox Length280 mmBox Width125 mmBox Height80 mmProduct Diameter12 mmLength200 mmWidth12 mmHeight12 mmGross Weight0.031 kgNet Weight0.023 kgCubik metre2.9E-05 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 "CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax usage temperature (non food contact)40 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Visible bristle length	5 mm
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)5060 PcsBox Length280 mmBox Width125 mmBox Height80 mmProduct Diameter12 mmLength200 mmWidth12 mmGross Weight0.031 kgNet Weight0.023 kgCubik metre2.9E-05 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. sage temperature (for food contact)40 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2Max20 °Celsius	Material	Polypropylene, Polyester, Stainless Steel
Quantity per Pallet (80 x 120 x 200 cm)5060 PcsBox Length280 mmBox Width125 mmBox Height80 mmProduct Diameter12 mmLength200 mmWidth12 mmHeight12 mmGross Weight0.031 kgNet Weight0.023 kgCubik metre2.9E-05 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage concentration2	Colour	Red
Box Length280 mmBox Width125 mmBox Height80 mmProduct Diameter12 mmLength200 mmWidth12 mmHeight12 mmGross Weight0.031 kgNet Weight0.023 kgCubik metre2.9E-05 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax. usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Quantity	10 Pcs.
BoxImage: temperatureBox Width125 mmBox Height80 mmProduct Diameter12 mmLength200 mmWidth12 mmHeight12 mmGross Weight0.031 kgNet Weight0.023 kgCubik metre2.9E-05 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax. usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Quantity per Pallet (80 x 120 x 200 cm)	5060 Pcs
Box Height80 mmProduct Diameter12 mmLength200 mmWidth12 mmHeight12 mmGross Weight0.031 kgNet Weight0.032 kgCubik metre2.9E-05 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (for food contact)40 °CelsiusMax usage temperature (for food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Length	280 mm
Product Diameter12 mmLength200 mmWidth12 mmHeight12 mmGross Weight0.031 kgNet Weight0.023 kgCubik metre2.9E-05 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Width	125 mm
Length200 mmWidth12 mmHeight12 mmGross Weight0.031 kgNet Weight0.023 kgCubik metre2.9E-05 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Height	80 mm
Vidth12 mmHeight12 mmGross Weight0.031 kgOne weight0.031 kgNet Weight0.023 kgCubik metre2.9E-05 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Product Diameter	12 mm
Height12 mmGross Weight0.031 kgNet Weight0.023 kgCubik metre2.9E-05 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Length	200 mm
Gross Weight0.031 kgNet Weight0.023 kgCubik metre2.9E-05 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Width	12 mm
Net Weight 0.023 kg Cubik metre 2.9E-05 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Height	12 mm
Cubik metre2.9E-05 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Gross Weight	0.031 kg
Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Net Weight	0.023 kg
Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Cubik metre	2.9E-05 M
Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Country of origin	Denmark
Max. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max cleaning temperature (Autoclave)	121 °Celsius
Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Max. cleaning temperature (Dishwasher)	93 °Celsius
Min. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. usage temperature (for food contact)	40 °Celsius
Min. pH-value in usage concentration2	Max usage temperature (non food contact)	80 °Celsius
	Min. usage temperature	-20 °Celsius
Max. pH-value in Usage Concentration 10.5	Min. pH-value in usage concentration	2
	Max. pH-value in Usage Concentration	10.5

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.