Item number: 53754

## Tube Brush, Ø10 mm, 480 mm, Hard, Red





The smallest diameter of the tube cleaners is used to clean small pipes and very narrow spaces between machine parts. The filaments are attached to a twisted stainless steel rod which makes chemical resistant and strong. Example of use; sausage filler tubes.

## **Technical data**

GTIN-14 Number         15705020537544           Commodity Code         96039099           Suitable for Food Contact (EU 1935/2004), DoC         Yes           FDA compliant raw material (CFR 21)         Yes           Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Use of Phthalates (e.g. Bisphenol A)         No           Is Halal compliant         Yes           Bristle Description         Hard           Material         Polypropylene, Polyester, Stainines           Steel         Colour           Red         Red           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         2550 Pcs.           Box Length         525 mm           Box Width         150 mm           Box Width         150 mm           Product Diameter         10 mm           Length         480 mm           Width         22 mm           Gross Weight         0.086 kg           Net Weight         0.073 kg           Cubik metre         0.000232 M           Country of origin         Denmark           Max cleaning temperature (Autoclave)         121 **Celsius           Max. cleaning temperature (Dishwasher) <td< th=""><th>Gtin-13 Number</th><th>5705020537547</th></td<>	Gtin-13 Number	5705020537547
Suitable for Food Contact (EU 1935/2004), DoC         Yes           FDA compliant raw material (CFR 21)         Yes           Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Use of Phthalates (e.g., Bisphenol A)         No           Is Halal compliant         Yes           Bristle Description         Hard           Visible bristle length         3 mm           Material         Polypropylene, Polyester, Stainless Steel           Colour         Red           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         2550 Pcs.           Box Length         525 mm           Box Width         150 mm           Box Height         105 mm           Product Diameter         10 mm           Length         480 mm           Width         22 mm           Gross Weight         0.086 kg           Net Weight         0.073 kg           Cuntry of origin         Denmark           Max cleaning temperature (Autoclave)         121 "Celsius           Max. cleaning temperature (Dishwasher)         3 "Celsius           Max. usage temperature (nor food contact)         80 "Celsius           Min. usage temperature         20 "Celsius	GTIN-14 Number	15705020537544
FDA compliant raw material (CFR 21)         Yes           Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Use of Phthalates (e.g. Bisphenol A)         No           Is Halal compliant         Yes           Bristle Description         Hard           Visible bristle length         3 mm           Material         Polypropylene, Polyester, Stainless Steel           Colour         Red           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         2550 Pcs.           Box Length         525 mm           Box Width         150 mm           Box Height         105 mm           Product Diameter         10 mm           Length         480 mm           Width         22 mm           Gross Weight         0.086 kg           Net Weight         0.073 kg           Cubik metre         0.000232 M           Country of origin         Denmark           Max cleaning temperature (Autoclave)         121 °Celsius           Max. usage temperature (For food contact)         80 °Celsius           Max. usage temperature (non food contact)         80 °Celsius           Min. usage temperature         20 °Celsius	Commodity Code	96039099
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice       Yes         Use of Phthalates (e.g. Bisphenol A)       No         Is Halal compliant       Yes         Bristle Description       Hard         Visible bristle length       3 mm         Material       Polypropylene, Polyester, Stainless Steel         Colour       Red         Box Quantity       15 Pcs.         Quantity per Pallet (80 x 120 x 200 cm)       2550 Pcs         Box Length       525 mm         Box Width       150 mm         Box Height       105 mm         Product Diameter       10 mm         Length       480 mm         Width       22 mm         Gross Weight       0.086 kg         Net Weight       0.073 kg         Cubik metre       0.00032 M         Country of origin       Dennate         Max cleaning temperature (Autoclave)       121 "Celsius         Max. usage temperature (Dishwasher)       93 "Celsius         Max. usage temperature (non food contact)       80 "Celsius         Min. usage temperature       -20 "Celsius         Min. ph-value in usage concentration       20 "Celsius	Suitable for Food Contact (EU 1935/2004), DoC	Yes
Manufacturing Practice         Test           Use of Phthalates (e.g. Bisphenol A)         No           Is Halal compliant         Yes           Bristle Description         Hard           Visible bristle length         3 mm           Material         Polypropylene, Polyester, Stainless Steel           Colour         Red           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         2550 Pcs           Box Length         525 mm           Box Width         150 mm           Box Height         105 mm           Product Diameter         10 mm           Length         480 mm           Width         22 mm           Height         22 mm           Gross Weight         0.086 kg           Net Weight         0.073 kg           Cubik metre         0.000232 M           Country of origin         Denmark           Max cleaning temperature (Autoclave)         121 "Celsius           Max. usage temperature (Dishwasher)         33 "Celsius           Max. usage temperature (for food contact)         80 "Celsius           Min. usage temperature         -20 "Celsius           Min. usage temperature         -20 "Celsius	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant         Yes           Bristle Description         Hard           Visible bristle length         3 mm           Material         Polypropylene, Polyester, Stainless Stees           Colour         Red           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         2550 Pcs           Box Length         525 mm           Box Width         150 mm           Box Height         105 mm           Product Diameter         10 mm           Length         480 mm           Width         22 mm           Gross Weight         0.086 kg           Net Weight         0.073 kg           Cubik metre         0.000232 M           Country of origin         Denmark           Max cleaning temperature (Autoclave)         121 "Celsius           Max. cleaning temperature (For food contact)         80 "Celsius           Max. usage temperature (for food contact)         80 "Celsius           Min. usage temperature         -20 "Celsius           Min. usage temperature         -20 "Celsius           Min. pH-value in usage concentration         2		Yes
Bristle Description     Hard       Visible bristle length     3 mm       Material     Polypropylene, Polyester, Staines Steed       Colour     Red       Box Quantity     15 Pcs.       Quantity per Pallet (80 x 120 x 200 cm)     2550 Pcs       Box Length     525 mm       Box Width     150 mm       Box Height     105 mm       Product Diameter     10 mm       Length     480 mm       Width     22 mm       Height     22 mm       Gross Weight     0.086 kg       Net Weight     0.073 kg       Cubik metre     0.000232 M       Country of origin     Denmark       Max cleaning temperature (Autoclave)     121 °Celsius       Max. cleaning temperature (Dishwasher)     93 °Celsius       Max. usage temperature (for food contact)     80 °Celsius       Max usage temperature (non food contact)     80 °Celsius       Min. usage temperature     -20 °Celsius       Min. usage temperature in usage concentration     2	Use of Phthalates (e.g. Bisphenol A)	No
Visible bristle length       3 mm         Material       Polypropylene, Polyester, Stainless Steel         Colour       Red         Box Quantity       15 Pcs.         Quantity per Pallet (80 x 120 x 200 cm)       2550 Pcs         Box Length       525 mm         Box Width       150 mm         Box Height       105 mm         Product Diameter       10 mm         Length       480 mm         Width       22 mm         Height       22 mm         Gross Weight       0.086 kg         Net Weight       0.073 kg         Cubik metre       0.000232 M         Country of origin       Denmark         Max cleaning temperature (Autoclave)       121 °Celsius         Max. cleaning temperature (Dishwasher)       93 °Celsius         Max. usage temperature (for food contact)       80 °Celsius         Max usage temperature (non food contact)       80 °Celsius         Min. usage temperature       -20 °Celsius         Min. pH-value in usage concentration       2	Is Halal compliant	Yes
MaterialPolypropylene, Polyester, Stainless SteelColourRedBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2550 PcsBox Length525 mmBox Width150 mmBox Height105 mmProduct Diameter10 mmLength480 mmWidth22 mmHeight22 mmGross Weight0.086 kgNet Weight0.073 kgCubik metre0.000232 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)33 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius	Bristle Description	Hard
Colour         Red           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         2550 Pcs           Box Length         525 mm           Box Width         150 mm           Box Height         105 mm           Product Diameter         10 mm           Length         480 mm           Width         22 mm           Gross Weight         0.086 kg           Net Weight         0.073 kg           Coulit metre         0.000232 M           Country of origin         Denmark           Max cleaning temperature (Autoclave)         121 °Celsius           Max. cleaning temperature (Dishwasher)         93 °Celsius           Max. usage temperature (for food contact)         80 °Celsius           Min. usage temperature         20 °Celsius           Min. usage temperature         -20 °Celsius	Visible bristle length	3 mm
Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         2550 Pcs           Box Length         525 mm           Box Width         150 mm           Box Height         105 mm           Product Diameter         10 mm           Length         480 mm           Width         22 mm           Height         22 mm           Gross Weight         0.086 kg           Net Weight         0.073 kg           Cubik metre         0.000232 M           Country of origin         Denmark           Max cleaning temperature (Autoclave)         121 °Celsius           Max. cleaning temperature (Dishwasher)         93 °Celsius           Max. usage temperature (for food contact)         80 °Celsius           Min. usage temperature         -20 °Celsius           Min. pH-value in usage concentration         2	Material	
Quantity per Pallet (80 x 120 x 200 cm)         2550 Pcs           Box Length         525 mm           Box Width         150 mm           Box Height         105 mm           Product Diameter         10 mm           Length         480 mm           Width         22 mm           Height         22 mm           Gross Weight         0.086 kg           Net Weight         0.073 kg           Cubik metre         0.000232 M           Country of origin         Denmark           Max cleaning temperature (Autoclave)         121 °Celsius           Max. cleaning temperature (Dishwasher)         93 °Celsius           Max. usage temperature (for food contact)         80 °Celsius           Max usage temperature (non food contact)         80 °Celsius           Min. usage temperature         -20 °Celsius           Min. pH-value in usage concentration         2	Colour	Red
Box Length  Box Width  150 mm  Box Height  105 mm  Product Diameter  10 mm  Length  480 mm  Width  22 mm  Height  22 mm  Gross Weight  0.086 kg  Net Weight  0.073 kg  Cubik metre  0.000232 M  Country of origin  Denmark  Max cleaning temperature (Autoclave)  121 °Celsius  Max. cleaning temperature (Dishwasher)  Max. usage temperature (for food contact)  Max usage temperature (non food contact)  Min. usage temperature  -20 °Celsius  Min. pH-value in usage concentration  2	Box Quantity	15 Pcs.
Box Width         150 mm           Box Height         105 mm           Product Diameter         10 mm           Length         480 mm           Width         22 mm           Height         22 mm           Gross Weight         0.086 kg           Net Weight         0.073 kg           Cubik metre         0.000232 M           Country of origin         Denmark           Max cleaning temperature (Autoclave)         121 °Celsius           Max. cleaning temperature (Dishwasher)         93 °Celsius           Max. usage temperature (for food contact)         80 °Celsius           Max usage temperature (non food contact)         80 °Celsius           Min. usage temperature         -20 °Celsius           Min. pH-value in usage concentration         2	Quantity per Pallet (80 x 120 x 200 cm)	2550 Pcs
Box Height105 mmProduct Diameter10 mmLength480 mmWidth22 mmHeight22 mmGross Weight0.086 kgNet Weight0.073 kgCubik metre0.000232 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Length	525 mm
Product Diameter 10 mm  Length 480 mm  Width 22 mm  Height 22 mm  Gross Weight 0.086 kg  Net Weight 0.073 kg  Cubik metre 0.000232 M  Country of origin Denmark  Max cleaning temperature (Autoclave) 121 °Celsius  Max. cleaning temperature (Dishwasher) 93 °Celsius  Max. usage temperature (for food contact) 80 °Celsius  Max usage temperature (non food contact) 80 °Celsius  Min. usage temperature (-20 °Celsius  Min. usage temperature (-20 °Celsius	Box Width	150 mm
Length480 mmWidth22 mmHeight22 mmGross Weight0.086 kgNet Weight0.073 kgCubik metre0.000232 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius	Box Height	105 mm
Width22 mmHeight22 mmGross Weight0.086 kgNet Weight0.073 kgCubik metre0.000232 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Product Diameter	10 mm
Height 22 mm  Gross Weight 0.086 kg  Net Weight 0.073 kg  Cubik metre 0.000232 M  Country of origin Denmark  Max cleaning temperature (Autoclave) 121 °Celsius  Max. cleaning temperature (Dishwasher) 93 °Celsius  Max. usage temperature (for food contact) 80 °Celsius  Max usage temperature (non food contact) 80 °Celsius  Min. usage temperature (non food contact) 2	Length	480 mm
Gross Weight0.086 kgNet Weight0.073 kgCubik metre0.000232 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Width	22 mm
Net Weight0.073 kgCubik metre0.000232 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Height	22 mm
Cubik metre0.000232 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Gross Weight	0.086 kg
Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Net Weight	0.073 kg
Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Cubik metre	0.000232 M
Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Country of origin	Denmark
Max. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max cleaning temperature (Autoclave)	121 °Celsius
Max usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. cleaning temperature (Dishwasher)	93 °Celsius
Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Max. usage temperature (for food contact)	80 °Celsius
Min. pH-value in usage concentration 2	Max usage temperature (non food contact)	80 °Celsius
	Min. usage temperature	-20 °Celsius
	Min. pH-value in usage concentration	2
Max. pH-value in Usage Concentration 10.5	Max. pH-value in Usage Concentration	10.5

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.		