## Item number: 53761 Tube Brush, Ø20 mm, 500 mm, Medium, Pink



The 20mmø of this tube cleaners is used to clean small pipes and very narrow spaces between machine parts. The filaments are attached to a twisted stainless steel rod which makes chemical resistant and strong. Example of use; sausage filler tubes.

## **Technical data**

GTIN-14 Number15705020378121Commodity Code96039099Suitable for Food Contact (EU 1935/2004), DoCYesFDA compliant raw material (CFR 21)YesProduced according to EU Regulation 2023/2006/EC of GoodYesBa of Phthalates (e.g. Bisphenol A)NoB Halal compliantYesBristie DescriptionMediumVisible bristie length9 mmMaterialPolypropylene, Polyster, StallessColourPhikBox Quantity15 Pes.Quantity per Pallet (80 x 120 x 200 cm)2550 Pes.Box Width150 mmBox Width105 mmProduce Diamoter20 mmReingh25 mmBox Width000 mmItength20 mmProduce Diamoter20 mmCountry000 mmKindin20 mmBox Width000 mmBox Width000 mmCountry000 mmWidth000 mmCountry of originDemmarkMax ceaning temperature (Natoclave)121 CellsusMax usage temperature (Ior food contact)80 CellsusMax usage temperature (Ior food contact)80 CellsusMin. usage temperature (Natoclave)20 CellsusMin. usage temperature (Ior food contact)80 Cells	Gtin-13 Number	5705020537615
Suitable for Food Contact (EU 1935/2004), DoCYesFDA compliant raw material (CFR 21)YesProduced according to EU Regulation 2023/2006/EC of GoodYesUse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionMediumVisible bristle length9 mmMaterialPolypropylene, Polyester, Stainless SteelColourPlinkBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2550 PcsBox Length525 mmBox Width105 mmProduct Diameter20 mmLength500 mmWidth0.092 kgNet Weight0.092 kgNet Weight0.00313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 "CelsiusMax usage temperature (Dishwasher)33 "CelsiusMax usage temperature-20 "CelsiusMin. p.H-value In usage concentration21Min. p.H-value In usage concentration21	GTIN-14 Number	15705020537612
FDA compliant raw material (CFR 21) Yes   Produced according to EU Regulation 2023/2006/EC of Good Yes   Use of Phthalates (e.g. Bisphenol A) No   Is Halal compliant Yes   Bristle Description Medium   Visible bristle length 9 mm   Material Polypropylene, Polyester, Stainless   Colour Plink   Box Quantity 15 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 2650 Pcs   Box Length 525 mm   Box Width 105 mm   Product Diameter 20 mm   Length 600 mm   Width 255 mm   Gross Weight 0.092 kg   Net Weight 0.079 kg   Cubik metre 0.000313 M   Country of origin Denmark   Max cleaning temperature (Autoclave) 121 "Celsius   Max. usage temperature (for food contact) 80 "Celsius   Max usage temperature (or food contact) 80 "Celsius   Min. usage temperature -20 "Celsius   Min. usage temperature -20 "Celsius	Commodity Code	96039099
Produced according to EU Regulation 2023/2006/EC of Good   Yes     Manufacturing Practice   No     Use of Phthalates (e.g. Bisphenol A)   No     Is Halal compliant   Yes     Bristie Description   Medium     Visible bristle length   9 mm     Material   Polypropylene, Polyester, Stainless Steel     Colour   Pink     Box Quantity   15 Pcs.     Quantity per Pallet (80 x 120 x 200 cm)   2550 Pcs     Box Length   525 mm     Box Width   150 mm     Box Height   105 mm     Product Diameter   20 mm     Length   500 mm     Width   25 mm     Height   0.092 kg     Net Weight   0.092 kg     Net Weight   0.00031 Mt     Country of origin   Denmark     Max cleaning temperature (Autoclave)   121 "Celsius     Max. usage temperature (Iolshwasher)   80 "Celsius     Max. usage temperature (on food contact)   80 "Celsius     Max. usage temperature (on food contact)   80 "Celsius     Min. usage temperature	Suitable for Food Contact (EU 1935/2004), DoC	Yes
Manufacturing PracticeTesUse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionMediumVisible bristle length9 mmMaterialPolypropylene, Polyester, StainlessColourPinkBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2550 PcsBox Length525 mmBox Width150 mmBox Helght105 mmProduct Diameter20 mmLength500 mmWidth25 mmBox Welght0.092 kgNet Welght0.092 kgNet Welght0.00313 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 "CelsiusMax. usage temperature (on food contact)80 "CelsiusMax usage temperature (no food contact)80 "CelsiusMin. pH-value in usage concentration20No20 "Celsius	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes   Bristle Description Medium   Visible bristle length 9 mm   Material Polypropylene, Polyester, Stainless Steel   Colour Pink   Box Quantity 15 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 2550 Pcs.   Box Length 525 mm   Box Width 150 mm   Box Height 105 mm   Product Dlameter 20 mm   Length 500 mm   Width 25 mm   Box Weight 0.092 kg   Net Weight 0.092 kg   Net Weight 0.079 kg   Coubik metre 0.000313 M   Country of origin Denmark   Max cleaning temperature (Dishwasher) 93 "Celsius   Max. usage temperature (for food contact) 80 "Celsius   Max. usage temperature (non food contact) 80 "Celsius   Min. usage temperature -20 "Celsius   Min. usage temperature -20 "Celsius		Yes
Bristle Description Medium   Visible bristle length 9 mm   Material Polypropylene, Polyester, Stainless Steel   Colour Pink   Box Quantity 15 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 2550 Pcs   Box Length 525 mm   Box Width 150 mm   Box Height 105 mm   Product Diameter 20 mm   Length 500 mm   Width 25 mm   Box Weight 0.002 kg   Net Weight 0.002 kg   Net Weight 0.00313 M   Country of origin Denmark   Max cleaning temperature (Autoclave) 121 "Celsius   Max. usage temperature (for food contact) 80 "Celsius   Min. usage temperature (non food contact) 80 "Celsius   Min. pH-value in usage concentration 2	Use of Phthalates (e.g. Bisphenol A)	No
Visible bristle length9 mmMaterialPolypropylene, Polyester, Stainless SteelColourPinkBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2650 PcsBox Length525 mmBox Width160 mmBox Height105 mmProduct Diameter20 mmLength500 mmWidth25 mmGross Weight0.092 kgNet Weight0.0021 kgCountry of originDenmarkMax cleaning temperature (Autoclave)121 "CelsiusMax usage temperature (for food contact)80 "CelsiusMin. usage temperature (non food contact)80 "CelsiusMin. pH-value in usage concentration2	Is Halal compliant	Yes
Material   Polypropylene, Polyester, Stainless Steel     Colour   Pink     Box Quantity   15 Pcs.     Quantity per Pallet (80 x 120 x 200 cm)   2650 Pcs     Box Length   525 mm     Box Width   150 mm     Box Height   105 mm     Product Diameter   20 mm     Length   550 mm     Width   25 mm     Box Weight   00 mm     Width   25 mm     Gross Weight   0.092 kg     Net Weight   0.092 kg     Cubik metre   0.000313 M     Country of origin   Denmark     Max. cleaning temperature (Autoclave)   121 °Celsius     Max. usage temperature (for food contact)   80 °Celsius     Max. usage temperature (non food contact)   80 °Celsius     Min. usage temperature   -20 °Celsius     Min. pH-value in usage concentration   2	Bristle Description	Medium
MaterialSteelColourPinkBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2550 PcsBox Length525 mmBox Width150 mmBox Height105 mmProduct Diameter20 mmLength500 mmWidth25 mmGross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. scage temperature (for food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Visible bristle length	9 mm
Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2550 PcsBox Length525 mmBox Width150 mmBox Height105 mmProduct Diameter20 mmLength500 mmWidth25 mmGross Weight0.092 kgNet Weight0.079 kgCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage concentration21Contry of Celsius20 °Celsius	Material	
Quantity per Pallet (80 x 120 x 200 cm)2550 PcsBox Length525 mmBox Width150 mmBox Height105 mmProduct Diameter20 mmLength500 mmWidth25 mmHeight25 mmGross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Colour	Pink
Box Length525 mmBox Width150 mmBox Height105 mmProduct Diameter20 mmLength500 mmWidth25 mmHeight25 mmGross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (Dishwasher)93 °CelsiusMax. usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage concentration2	Box Quantity	15 Pcs.
Box Width150 mmBox Height105 mmProduct Diameter20 mmLength500 mmWidth25 mmHeight25 mmGross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (Dishwasher)93 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Quantity per Pallet (80 x 120 x 200 cm)	2550 Pcs
Box Height105 mmProduct Diameter20 mmLength500 mmWidth25 mmHeight25 mmGross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Length	525 mm
Product Diameter20 mmLength500 mmWidth25 mmHeight25 mmGross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius	Box Width	150 mm
Length500 mmWidth25 mmHeight25 mmGross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Height	105 mm
Width25 mmHeight25 mmGross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Product Diameter	20 mm
Height25 mmGross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Length	500 mm
Gross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Width	25 mm
Net Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Height	25 mm
Cubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Gross Weight	0.092 kg
Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Net Weight	0.079 kg
Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Cubik metre	0.000313 M
Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Country of origin	Denmark
Max. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max cleaning temperature (Autoclave)	121 °Celsius
Max usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. cleaning temperature (Dishwasher)	93 °Celsius
Min. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. usage temperature (for food contact)	80 °Celsius
Min. pH-value in usage concentration2	Max usage temperature (non food contact)	80 °Celsius
	Min. usage temperature	-20 °Celsius
Max. pH-value in Usage Concentration10.5	Min. pH-value in usage concentration	2
	Max. pH-value in Usage Concentration	10.5

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.