Item number: 53764

Tube Brush, Ø20 mm, 500 mm, Medium, Red





The 20mmø of this tube cleaners is used to clean small pipes and very narrow spaces between machine parts. The filaments are attached to a twisted stainless steel rod which makes chemical resistant and strong. Example of use; sausage filler tubes.

Technical data

GTIN-14 Number 15705020537843 Commodity Code 96030909 Suitable for Food Contact (EU 1936/2004), DoC Yes FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice No Use of Phthalates (e.g. Bisphenol A) No Is Halai compliant Yes Bristle Doscription Medium Visible bristle length 9 mm Material Polyproplene, Polysester, Stainless Steel Colour Red Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2550 Pcs. Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length 55 mm Width 25 mm Under Weight 0.00 mm Width 25 mm Felight 0.00 mm Const Weight 0.00 mm Outs Weight 0.00 mm Coulk metre 0.00 mm Coulk met	Gtin-13 Number	5705020537646
Suitable for Food Contact (EU 1935/2004), DoC Yes FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Material Polypropylene, Polyester, Stainless Steel Colour Red Box Quantity 16 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2550 Pcs Box Length 325 mm Box Width 150 mm Box Height 105 mm Product Dlameter 20 mm Length 500 mm Width 25 mm Gross Weight 0.092 kg Net Weight 0.092 kg Net Weight 0.093 kg Cubik metre 0.000313 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Infood contact) 80 °Celsius Max. usage temperature 20 °Celsius Min.	GTIN-14 Number	15705020537643
FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 9 mm Material Polypropylene, Polyester, Stainless Steel Colour Red Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2550 Pcs Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length 550 mm Width 25 mm Gross Weight 0.002 kg Net Weight 0.002 kg Cubik metre 0.000313 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Dishwasher) 30 °Celsius Max. usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius	Commodity Code	96039099
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 9 mm Material Polypropylene, Polyester, Stainless Steel Colour Red Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2550 Pcs Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length 500 mm Width 25 mm Height 25 mm Gross Weight 0.092 kg Net Weight 0.093 kg Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (For food contact) 80 °Celsius Max. usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. usage temperature (non food contact) 20 °Celsius	Suitable for Food Contact (EU 1935/2004), DoC	Yes
Manufacturing Practice Tes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 9 mm Material Polypropylene, Polyester, Stainless Steel Colour Red Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2550 Pcs Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length 500 mm Width 25 mm Height 25 mm Gross Weight 0.092 kg Net Weight 0.092 kg Cubik metre 0.000313 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 30 °Celsius Max. usage temperature (for food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. usage temperature -20 °Celsius	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Bristle Description Medium Visible bristle length 9 mm Material Polypropylene, Polyester, Stainest Stees Colour Red Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2550 Pcs Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length 500 mm Width 25 mm Height 25 mm Gross Weight 0.092 kg Net Weight 0.079 kg Cubik metre 0.000313 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 "Celsius Max. cleaning temperature (Dishwasher) 93 "Celsius Max. usage temperature (for food contact) 80 "Celsius Min. usage temperature -20 "Celsius Min. usage temperature -20 "Celsius		Yes
Bristle Description Medium Visible bristle length 9 mm Material Polypropylene, Polyester, Stainless Steel Colour Red Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2550 Pcs Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length 500 mm Width 25 mm Gross Weight 0.092 kg Net Weight 0.079 kg Cubik metre 0.000313 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Use of Phthalates (e.g. Bisphenol A)	No
Visible bristle length 9 mm Material Polypropylene, Polyester, Stainless Steel Colour Red Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2550 Pcs Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length 500 mm Width 25 mm Gross Weight 0.092 kg Net Weight 0.079 kg Cubik metre 0.000313 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Is Halal compliant	Yes
MaterialPolypropylene, Polyester, Stainless SteelColourRedBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2550 PcsBox Length525 mmBox Width150 mmBox Height105 mmProduct Diameter20 mmLength500 mmWidth25 mmHeight25 mmGross Weight0.092 kgNet Weight0.092 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (For food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius	Bristle Description	Medium
Colour Red Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2550 Pcs Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length 500 mm Width 25 mm Gross Weight 0.092 kg Net Weight 0.079 kg Cubik metre 0.000313 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius	Visible bristle length	9 mm
Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2550 Pcs Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length 500 mm Width 25 mm Height 25 mm Gross Weight 0.092 kg Net Weight 0.079 kg Cubik metre 0.000313 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Material	
Quantity per Pallet (80 x 120 x 200 cm) 2550 Pcs Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length 500 mm Width 25 mm Height 25 mm Gross Weight 0.092 kg Net Weight 0.0079 kg Cubik metre 0.000313 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Colour	Red
Box Length 525 mm Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length 500 mm Width 25 mm Height 25 mm Gross Weight 0.092 kg Net Weight 0.079 kg Cubik metre 0.000313 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. usage temperature -20 °Celsius	Box Quantity	15 Pcs.
Box Width 150 mm Box Height 105 mm Product Diameter 20 mm Length 500 mm Width 25 mm Height 25 mm Gross Weight 0.092 kg Net Weight 0.079 kg Cubik metre 0.000313 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Quantity per Pallet (80 x 120 x 200 cm)	2550 Pcs
Box Height105 mmProduct Diameter20 mmLength500 mmWidth25 mmHeight25 mmGross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature40 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius	Box Length	525 mm
Product Diameter20 mmLength500 mmWidth25 mmHeight25 mmGross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Width	150 mm
Length500 mmWidth25 mmHeight25 mmGross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature-20 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Height	105 mm
Width25 mmHeight25 mmGross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Product Diameter	20 mm
Height 25 mm Gross Weight 0.092 kg Net Weight 0.079 kg Cubik metre 0.000313 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Length	500 mm
Gross Weight0.092 kgNet Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Width	25 mm
Net Weight0.079 kgCubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Height	25 mm
Cubik metre0.000313 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Gross Weight	0.092 kg
Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Net Weight	0.079 kg
Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Cubik metre	0.000313 M
Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Country of origin	Denmark
Max. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max cleaning temperature (Autoclave)	121 °Celsius
Max usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. cleaning temperature (Dishwasher)	93 °Celsius
Min. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. usage temperature (for food contact)	80 °Celsius
Min. pH-value in usage concentration 2	Max usage temperature (non food contact)	80 °Celsius
	Min. usage temperature	-20 °Celsius
Max. pH-value in Usage Concentration 10.5	Min. pH-value in usage concentration	2
	Max. pH-value in Usage Concentration	10.5

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.			