Item number: 53784 Tube Brush, Ø40 mm, 510 mm, Hard, Red





The 40mmø of this tube cleaners is used to clean small pipes and very narrow spaces between machine parts. The filaments are attached to a twisted stainless steel rod which makes chemical resistant and strong.

Technical data

GTIN-14 Number15705020378/141Commodity Code96030909Suitable for Food Contact (EU 1935/2004), DoCYesFDA compliant raw material (CFR 21)YesProduced according to EU Regulation 2023/2006/EC of GoodYesBa data corpliant raw material (DFR 21)YesUse of Phthalates (e.g. Bisphenol A)NoB Halal compliantYesBristie DescriptionHardVisible bristie length17 mmMaterialPolypropylene, Polyester, StallessColourRedBox Quantity15 Pes.Quantity per Pallet (80 x 120 x 200 cm)480 Pes.Box Hight330 mmBox Width230 mmBox Width350 mmBox Width610 mmLength610 mmKingth0.008 tgWidth0.008 tgColour0.008 tgBox Width0.008 tgBox Width0.008 tgConsor0.008 tgBox Width0.008 tgConsor0.008 tgKingth0.008 tgCountry of originDenmarkMax cleaning temperature (Notoclave)121 °CelsusMax usage temperature (Ior food contact)80 °CelsusMax usage temperature (Ior food contact)80 °CelsusMin. usage tem	Gtin-13 Number	5705020537844
Suitable for Food Contact (EU 1935/2004), DoCYesFDA compliant raw material (CFR 21)YesProduced according to EU Regulation 2023/2006/EC of GoodYesUse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionHardVisible bristle length17 mmMaterialPolypropylene, Polyester, Stainless SteelColourRedBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsBox Length530 mmBox Height155 mmProduct Diameter400 mmLength510 mmWith0.098 kgNet Weight0.098 kgNet Weight0.008 kgCuntry of originDenmarkMax cleaning temperature (Natoclave)121 "CelsiusMax usage temperature (for food contact)80 "CelsiusMax usage temperature-20 "CelsiusMin. pH-value in usage concentration21Max usage temperature-20 "CelsiusMin. pH-value in usage concentration21	GTIN-14 Number	15705020537841
FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Hard Visible bristle length 17 mm Material Polypropylene, Polyester, Stainless Colour Red Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Box Length 530 mm Box Width 230 mm Box Width 610 mm Useight 0.098 kg Notth 400 mm Length 0.098 kg Notth 0.098 kg Notth Meterial 0.0088 kg Cubik metre 0.000816 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 "Celsius Max. usage temperature (for doc ontact) 80 "Celsius Max usage temperature (on food contact) 80 "Celsius Max usage temperature -20 "Celsius Min. usage temperature -20 "Celsius	Commodity Code	96039099
Produced according to EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice No Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristie Description Hard Visible bristle length 17 mm Material Polypropylene, Polyester, Stainless Steel Colour Red Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Box Length 530 mm Box Width 230 mm Box Height 15 Fcs. Product Diameter 40 mm Length 510 mm Width 40 mm Gross Weight 0.098 kg Net Weight 0.0088 kg Cubik metre 0.000816 M Country of origin Denmark Max. cleaning temperature (Autoclave) 121 "Celsius Max. usage temperature (Iolshwasher) 80 "Celsius Max. usage temperature (or food contact) 80 "Celsius Max. usage temperature (or food contact) 80 "Celsius Max. usage temp	Suitable for Food Contact (EU 1935/2004), DoC	Yes
Manufacturing PracticeTesUse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionHardVisible bristle length17 mmMaterialPolypropylene, Polyester, StainlessColourRedBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsBox Length530 mmBox Vidth230 mmBox Helght15 Fos.Product Diameter40 mmLength510 mmWidth0.098 kgNet Weight0.098 kgNet Weight0.0088 kgCubik metre0.000816 kgMax. cleaning temperature (Autoclave)121 "CelsiusMax. usage temperature (or food contact)80 "CelsiusMax usage temperature (non food contact)80 "CelsiusMin. pH-value in usage concentration20 "CelsiusMin. pH-value in usage concentration20 "Celsius	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Bristle Description Hard Visible bristle length 17 mm Material Polypropylene, Polyester, Stainless Steel Colour Red Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Box Length 530 mm Box Width 230 mm Box Height 155 mm Product Dlameter 40 mm Length 510 mm Width 0.098 kg Net Weight 0.098 kg Country of origin Denmark Max cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max. usage temperature (non food contact) 80 °Celsius Min. usage temperature (non food contact) 80 °Celsius		Yes
Bristle Description Hard Visible bristle length 17 mm Material Polypropylene, Polyester, Stainless Colour Red Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Box Length 530 mm Box Width 230 mm Box Height 155 mm Product Diameter 40 mm Length 510 mm Width 40 mm Gross Weight 0.088 kg Net Weight 0.008 kg Cubik metre 0.000816 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 "Celsius Max. usage temperature (for food contact) 80 "Celsius Max. usage temperature (non food contact) 80 "Celsius Min. usage temperature (non food contact) 80 "Celsius Min. pH-value in usage concentration 2	Use of Phthalates (e.g. Bisphenol A)	No
Visible bristle length 17 mm Material Polypropylene, Polyester, Stainless Steel Colour Red Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Box Length 530 mm Box Width 230 mm Box Height 155 mm Product Diameter 40 mm Length 510 mm Width 40 mm Gross Weight 0.098 kg Net Weight 0.008 kg Cubik metre 0.0008 kg Max cleaning temperature (Autoclave) 121 "Celsius Max. cleaning temperature (for food contact) 80 "Celsius Max. usage temperature (for food contact) 80 "Celsius Min. usage temperature (non food contact) 80 "Celsius Min. usage temperature (non food contact) 80 "Celsius	Is Halal compliant	Yes
Material Polypropylene, Polyester, Stainless Steel Colour Red Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Box Length 530 mm Box Width 230 mm Box Height 155 mm Product Diameter 40 mm Length 510 mm Width 40 mm Gross Weight 0.098 kg Net Weight 0.00816 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max. usage temperature (on food contact) 80 °Celsius Min. usage temperature -20 °Celsius	Bristle Description	Hard
MaterialSteelColourRedBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsBox Length530 mmBox Width230 mmBox Width230 mmBox Height155 mmProduct Diameter40 mmLength510 mmWidth40 mmHeight0.098 kgNet Weight0.098 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Visible bristle length	17 mm
Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsBox Length530 mmBox Keight230 mmBox Width230 mmBox Height155 mmProduct Diameter40 mmLength510 mmWidth40 mmGross Weight0.098 kgNet Weight0.098 kgCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMin. usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage concentration2	Material	
Quantity per Pallet (80 x 120 x 200 cm)480 PcsBox Length530 mmBox Width230 mmBox Height155 mmProduct Diameter40 mmLength510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Colour	Red
Box Length530 mmBox Width230 mmBox Height155 mmProduct Diameter40 mmLength510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.008 kgCubik metre0.000816 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius	Box Quantity	15 Pcs.
Box Width230 mmBox Height155 mmProduct Diameter40 mmLength510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.008 kgCubik metre0.000816 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (Dishwasher)93 °CelsiusMax. usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage concentration2	Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs
Box Height155 mmProduct Diameter40 mmLength510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.098 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Length	530 mm
Product Diameter40 mmLength510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius	Box Width	230 mm
Length510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.098 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Height	155 mm
Width40 mmHeight40 mmGross Weight0.098 kgOne Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Product Diameter	40 mm
Height40 mmGross Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Length	510 mm
Gross Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Width	40 mm
Net Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Height	40 mm
Cubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Gross Weight	0.098 kg
Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Net Weight	0.08 kg
Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Cubik metre	0.000816 M
Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Country of origin	Denmark
Max. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max cleaning temperature (Autoclave)	121 °Celsius
Max usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. cleaning temperature (Dishwasher)	93 °Celsius
Min. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. usage temperature (for food contact)	80 °Celsius
Min. pH-value in usage concentration2	Max usage temperature (non food contact)	80 °Celsius
	Min. usage temperature	-20 °Celsius
Max. pH-value in Usage Concentration10.5	Min. pH-value in usage concentration	2
	Max. pH-value in Usage Concentration	10.5

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.