Item number: 53785

Tube Brush, Ø40 mm, 510 mm, Hard, White





The 40mmø of this tube cleaners is used to clean small pipes and very narrow spaces between machine parts. The filaments are attached to a twisted stainless steel rod which makes chemical resistant and strong.

Technical data

GTIN-14 Number 157000000000000000000000000000000000000	Gtin-13 Number	5705020053788
Suitable for Food Contact (EU 1935/2004), DoC Yes FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Hard Visible bristle length 17 mm Material Polypropylene, Polyester, Stainless Steel Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Box Length 520 mm Box Height 150 mm Product Diameter 40 mm Length 510 mm Width 40 mm Width 40 mm Gross Weight 0.098 kg Net Weight 0.098 kg Cubik metre 0.000816 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 *Celsius Max. usage temperature (Dishwasher) 33 *Celsius Max. usage temperature 20 *Celsius Min.,	GTIN-14 Number	15705020053785
FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Hard Visible bristle length 17 mm Material Polypropylene, Polyester, Stainless Steel Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Box Length 520 mm Box Width 230 mm Box Width 230 mm Box Height 150 mm Product Diameter 40 mm Length 510 mm Width 40 mm Height 40 mm Gross Weight 0.098 kg Net Weight 0.098 kg Cubik metre 0.00816 M Country of origin Denmark Max. cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Dishwasher) 33 °Celsius Max. usage temperature (non food contact) <	Commodity Code	96039099
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Hard Visible bristle length 17 mm Material Polypropylene, Polyester, Stainless Steel Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Box Length 520 mm Box Width 230 mm Box Height 150 mm Product Diameter 40 mm Length 510 mm Width 40 mm Height 40 mm Gross Weight 0.098 kg Net Weight 0.098 kg Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Dishwasher) 30 °Celsius Max. usage temperature (non food contact) 80 °Celsius Min. usage temperature 20 °Celsius Min. usage temperature (non food contact) 20 °Celsius	Suitable for Food Contact (EU 1935/2004), DoC	Yes
Manufacturing Practice Test Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Hard Visible bristle length 17 mm Material Polypropylene, Polyester, Stainless Steel Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Box Length 520 mm Box Width 230 mm Box Height 150 mm Product Diameter 40 mm Length 510 mm Width 40 mm Height 40 mm Gross Weight 0.098 kg Net Weight 0.098 kg Cubik metre 0.00816 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 *Celsius Max. usage temperature (Dishwasher) 30 *Celsius Max. usage temperature (non food contact) 80 *Celsius Min. usage temperature 20 *Celsius Min. usage temperature 20 *Celsius	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Bristle Description Hard Visible bristle length 17 mm Material Polypropylene, Polyester, Stainest Statest States		Yes
Bristle Description Hand Visible bristle length 17 mm Material Polypropylene, Polyester, Stainless Steel Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Box Length 520 mm Box Width 230 mm Box Height 150 mm Product Diameter 40 mm Length 510 mm Width 40 mm Height 40 mm Gross Weight 0.098 kg Net Weight 0.098 kg Cubik metre 0.000816 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. usage temperature in usage concentration 2	Use of Phthalates (e.g. Bisphenol A)	No
Visible bristle length 17 mm Material Polypropylene, Polyester, Stainless Steel Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs. Box Length 520 mm Box Width 230 mm Box Height 150 mm Product Diameter 40 mm Length 510 mm Width 40 mm Height 40 mm Gross Weight 0.098 kg Net Weight 0.098 kg Cubik metre 0.000816 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 20 °Celsius	Is Halal compliant	Yes
Material Polypropylene, Polyester, Stainless Steel Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 80x Length S20 mm Box Width 230 mm Box Width 230 mm Product Diameter 40 mm Product Diameter 40 mm Width 40 mm Height 40 mm Gross Weight 0.098 kg Net Weight 0.088 kg Net Weight 0.088 kg Cubik metre 0.000816 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Dishwasher) 80 °Celsius Max. usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. usage temperature -20 °Celsius	Bristle Description	Hard
Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Box Length 520 mm Box Width 230 mm Box Height 150 mm Product Diameter 40 mm Length 510 mm Width 40 mm Height 40 mm Gross Weight 0.098 kg Net Weight 0.098 kg Cubik metre 0.00816 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Visible bristle length	17 mm
Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Box Length 520 mm Box Width 230 mm Box Height 150 mm Product Diameter 40 mm Length 510 mm Width 40 mm Height 40 mm Gross Weight 0.098 kg Net Weight 0.08 kg Cubik metre 0.000816 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Material	
Quantity per Pallet (80 x 120 x 200 cm)480 PcsBox Length520 mmBox Width230 mmBox Height150 mmProduct Diameter40 mmLength510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Colour	White
Box Length 520 mm Box Width 230 mm Box Height 150 mm Product Diameter 40 mm Length 510 mm Width 40 mm Height 40 mm Gross Weight 0.098 kg Net Weight 0.00816 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. usage temperature -20 °Celsius	Box Quantity	15 Pcs.
Box Width230 mmBox Height150 mmProduct Diameter40 mmLength510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature-20 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs
Box Height150 mmProduct Diameter40 mmLength510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature40 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius	Box Length	520 mm
Product Diameter 40 mm Length 510 mm Width 40 mm Height 40 mm Gross Weight 0.098 kg Net Weight 0.08 kg Cubik metre 0.000816 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature (-20 °Celsius Min. pH-value in usage concentration 2	Box Width	230 mm
Length510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature-20 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Height	150 mm
Width40 mmHeight40 mmGross Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature-20 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Product Diameter	40 mm
Height40 mmGross Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Length	510 mm
Gross Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Width	40 mm
Net Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Height	40 mm
Cubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Gross Weight	0.098 kg
Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Net Weight	0.08 kg
Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Cubik metre	0.000816 M
Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Country of origin	Denmark
Max. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max cleaning temperature (Autoclave)	121 °Celsius
Max usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. cleaning temperature (Dishwasher)	93 °Celsius
Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Max. usage temperature (for food contact)	80 °Celsius
Min. pH-value in usage concentration 2	Max usage temperature (non food contact)	80 °Celsius
	Min. usage temperature	-20 °Celsius
Max. pH-value in Usage Concentration 10.5	Min. pH-value in usage concentration	2
	Max. pH-value in Usage Concentration	10.5

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.			