## Item number: 53786 Tube Brush, Ø40 mm, 510 mm, Hard, Yellow



The 40mmø of this tube cleaners is used to clean small pipes and very narrow spaces between machine parts. The filaments are attached to a twisted stainless steel rod which makes chemical resistant and strong.

## **Technical data**

| GTIN-14 Number1570502037865Commodity Code96039099Suitable for Food Contact (EU 1935/2004), DoCYesFDA compliant raw material (CFR 21)YesProduced according to EU Regulation 2023/2006/EC of GoodYesBa danufacturing PracticeYesBroduced according to EU Regulation 2023/2006/EC of GoodYesBus of Phthalates (e.g. Bisphenol A)NoB Halal compliantYesBristle DescriptionHaldVisible bristle length17 mmMaterialPolypropylene, Polyster, StainlessColourYellowBox Quantity15 Pes.Quantity per Pallet (80 x 120 x 200 cm)480 PesBox Length330 mmBox Width230 mmBox Width350 mmBox Width360 mmBox Width0.008 kgConsos Weight0.008 kgCountry of originDemmarkMaterial121 CellowMaterial0.008 kgKu cleaning temperature (Ior food contact)80 CellowMax usage temperature (Ior food | Gtin-13 Number                                | 5705020537868  |
|---|---|----------------|
| Suitable for Food Contact (EU 1935/2004), DoCYesFDA compliant raw material (CFR 21)YesProduced according to EU Regulation 2023/2006/EC of Good<br>Manufacturing PracticeYesUse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionHardVisible bristle length17 mmMaterialPolypropylene, Polyester, Stainless<br>SteelColourYellowBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsBox Length530 mmBox Width230 mmBox Height1155 mmProduct Diameter40 mmLength510 mmWidth0.098 kgNet Weight0.098 kgNet Weight0.098 kgNet Weight0.098 kgMax cleaning temperature (Dishwasher)33 CelsiusMax usage temperature (Ior food contact)80 CelsiusMax usage temperature-20 °CelsiusMin. pH-value in usage concentration2  | GTIN-14 Number                                | 15705020537865 |
| FDA compliant raw material (CFR 21) Yes   Produced according to EU Regulation 2023/2006/EC of Good Yes   Use of Phthalates (e.g. Bisphenol A) No   Is Halal compliant Yes   Bristle Description Hard   Visible bristle length 17 mm   Material Polypropylene, Polyester, Stainless<br>Steel   Colour Yellow   Box Quantity 15 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs   Box Length 530 mm   Box Width 230 mm   Box Width 230 mm   Box Height 165 mm   Product Diameter 40 mm   Length 510 mm   Width 0.098 kg   Net Weight 0.098 kg   Net Weight 0.008 kg   Cubik metre 0.000816 M   Country of origin Denmark   Max cleaning temperature (Autoclave) 121 "Celsius   Max. usage temperature (for do contact) 80 "Celsius   Max usage temperature (non food contact) 80 "Celsius   Min. usage temperature -20 "Celsius   Min. usage temperature   | Commodity Code                                | 96039099       |
| Produced according to EU Regulation 2023/2006/EC of Good   Yes     Manufacturing Practice   No     Use of Phthalates (e.g. Bisphenol A)   No     Is Halal compliant   Yes     Bristle Description   Hard     Visible bristle length   17 mm     Material   Polypropylene, Polyester, Stainless Steel     Colour   Yelow     Box Quantity   15 Pcs.     Quantity per Pallet (80 x 120 x 200 cm)   480 Pcs     Box Length   530 mm     Box Width   230 mm     Box Height   15 Fcs.     Quantity per Pallet (80 x 120 x 200 cm)   480 Pcs     Box Length   530 mm     Box Width   230 mm     Box Width   230 mm     Box Height   155 mm     Product Diameter   40 mm     Length   610 mm     Width   40 mm     Gross Weight   0.098 kg     Net Weight   0.008 kg     Cubik metre   0.008 kg     Guantry of origin   Denmark     Max cleaning temperature (Autoclave)   <   | Suitable for Food Contact (EU 1935/2004), DoC | Yes            |
| Manufacturing PracticeItesUse of Phthalates (e.g. Bisphenol A)NoIs Halal compliantYesBristle DescriptionHardVisible bristle length17 mmMaterialPolypropylene, Polyester, StainlessColourYellowBox Quantity15 Pes.Quantity per Pallet (80 x 120 x 200 cm)480 PcsBox Length530 mmBox Width230 mmBox Width15 FismProduct Dlameter40 mmLength510 mmWidth0.098 kgNotith0.098 kgNotith Metre0.0086 kgCubik metre0.0088 kgCubik metre0.0088 kgMax cleaning temperature (Dishwasher)93 "CelsiusMax usage temperature (for food contact)80 "CelsiusMax usage temperature (non food contact)80 "CelsiusMin. pH-value in usage concentration20Kin. pH-value in usage concentration20Kin. pH-value in usage concentration20Kin Country of contact80 "CelsiusMax. usage temperature (non food contact)80 "CelsiusMax. usage temperature (non food contact)80 "CelsiusMax. usage temperature (non food contact)80 "CelsiusMin. usage temperature (non food contact)80 "CelsiusMax. usage temperature (non food contact)80 "C          | FDA compliant raw material (CFR 21)           | Yes            |
| Is Halal compliant Yes   Bristle Description Hard   Visible bristle length 17 mm   Material Polypropylene, Polyester, Stainless Steel   Colour Yellow   Box Quantity 15 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs   Box Length 530 mm   Box Viidth 230 mm   Box Height 155 mm   Product Diameter 40 mm   Length 510 mm   Width 40 mm   Gross Weight 0.098 kg   Net Weight 0.098 kg   Cubik metre 0.000816 M   Country of origin Denmark   Max cleaning temperature (Distwasher) 93 "Celsius   Max. usage temperature (for food contact) 80 "Celsius   Max usage temperature (non food contact) 80 "Celsius   Min. usage temperature -20 "Celsius   Min. pH-value in usage concentration 2  |   | Yes            |
| Bristle Description Hard   Visible bristle length 17 mm   Material Polypropylene, Polyester, Stainless Steel   Colour Yellow   Box Quantity 15 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs   Box Length 530 mm   Box Width 230 mm   Box Height 155 mm   Product Diameter 40 mm   Length 510 mm   Width 40 mm   Gross Weight 0.098 kg   Net Weight 0.098 kg   Cublik metre 0.000816 M   Country of origin Denmark   Max. cleaning temperature (Autoclave) 121 "Celsius   Max. usage temperature (for food contact) 80 "Celsius   Max. usage temperature (for food contact) 80 "Celsius   Min. usage temperature (non food contact) 80 "Celsius   Min. pH-value in usage concentration 2   | Use of Phthalates (e.g. Bisphenol A)          | No             |
| Visible bristle length 17 mm   Material Polypropylene, Polyester, Stainless Steel   Colour Yellow   Box Quantity 15 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs   Box Length 530 mm   Box Vidth 230 mm   Box Height 155 mm   Product Diameter 40 mm   Length 510 mm   Width 40 mm   Gross Weight 0.098 kg   Net Weight 0.008 kg   Cubik metre 0.0008 lf   Country of origin Denmark   Max. cleaning temperature (Autoclave) 121 "Celsius   Max. usage temperature (for food contact) 80 "Celsius   Max. usage temperature (for food contact) 80 "Celsius   Min. usage temperature (non food contact) 80 "Celsius   Min. usage temperature (non food contact) 80 "Celsius   Min. pH-value in usage concentration 2  | Is Halal compliant                            | Yes            |
| Material Polypropylene, Polyester, Stainless Steel   Colour Yellow   Box Quantity 15 Pcs.   Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs   Box Length 530 mm   Box Width 230 mm   Box Height 155 mm   Product Diameter 40 mm   Length 510 mm   Width 40 mm   Gross Weight 0.098 kg   Net Weight 0.00816 M   Country of origin Denmark   Max cleaning temperature (Autoclave) 121 °Celsius   Max. usage temperature (for food contact) 80 °Celsius   Max. usage temperature (on food contact) 80 °Celsius   Min. usage temperature -20 °Celsius   | Bristle Description                           | Hard           |
| MaterialSteelColourYellowBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsBox Length530 mmBox Width230 mmBox Width230 mmBox Height155 mmProduct Diameter40 mmLength510 mmWidth40 mmHeight0.098 kgNet Weight0.098 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius   | Visible bristle length                        | 17 mm          |
| Box Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsBox Length530 mmBox Keight230 mmBox Width230 mmBox Height155 mmProduct Diameter40 mmLength510 mmWidth40 mmGross Weight0.098 kgNet Weight0.098 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius   | Material                                      |                |
| Quantity per Pallet (80 x 120 x 200 cm)480 PcsBox Length530 mmBox Width230 mmBox Height155 mmProduct Diameter40 mmLength510 mmWidth40 mmHeight40 mmGross Weight0.08 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (no food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage concentration2   | Colour  | Yellow         |
| Box Length530 mmBox Width230 mmBox Height155 mmProduct Diameter40 mmLength510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.098 kgCubik metre0.000816 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage concentration2  | Box Quantity                                  | 15 Pcs.        |
| Box Width230 mmBox Height155 mmProduct Diameter40 mmLength510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.008 kgCubik metre0.000816 MCountry of originDenmarkMax. cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2   | Quantity per Pallet (80 x 120 x 200 cm)       | 480 Pcs        |
| Box Height155 mmProduct Diameter40 mmLength510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.098 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2  | Box Length                                    | 530 mm         |
| Product Diameter40 mmLength510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2   | Box Width                                     | 230 mm         |
| Length510 mmWidth40 mmHeight40 mmGross Weight0.098 kgNet Weight0.098 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2  | Box Height                                    | 155 mm         |
| Width40 mmHeight40 mmGross Weight0.098 kgOne Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2  | Product Diameter                              | 40 mm          |
| Height40 mmGross Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2  | Length  | 510 mm         |
| Gross Weight0.098 kgNet Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2   | Width   | 40 mm          |
| Net Weight0.08 kgCubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2   | Height  | 40 mm          |
| Cubik metre0.000816 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2  | Gross Weight                                  | 0.098 kg       |
| Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2   | Net Weight                                    | 0.08 kg        |
| Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2   | Cubik metre                                   | 0.000816 M     |
| Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2   | Country of origin                             | Denmark        |
| Max. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2  | Max cleaning temperature (Autoclave)          | 121 °Celsius   |
| Max usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2  | Max. cleaning temperature (Dishwasher)        | 93 °Celsius    |
| Min. usage temperature-20 °CelsiusMin. pH-value in usage concentration2   | Max. usage temperature (for food contact)     | 80 °Celsius    |
| Min. pH-value in usage concentration2   | Max usage temperature (non food contact)      | 80 °Celsius    |
|   | Min. usage temperature                        | -20 °Celsius   |
| Max. pH-value in Usage Concentration10.5  | Min. pH-value in usage concentration          | 2              |
|   | Max. pH-value in Usage Concentration          | 10.5           |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.