Item number: 53795

Tube Brush, Ø50 mm, 510 mm, Medium, White





The 50mmø of this tube cleaners is used to clean small pipes and very narrow spaces between machine parts. The filaments are attached to a twisted stainless steel rod which makes chemical resistant and strong.

Technical data

	Gtin-13 Number	5705020053795
Suitable for Food Contact (EU 1935/2004), DoC Yes FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 23 mm Material Polypropylene, Polyester, Stainless Steel Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1260 Pcs Box Length 520 mm Box Height 30 mm Box Height 150 mm Product Diameter 50 mm Length 510 mm Width 50 mm User Weight 50 mm Gross Weight 0.011275 M Cubik metre 0.001275 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (For food contact) 80 °Celsius Max. usage temperature 20 °Celsius	GTIN-14 Number	15705020053792
FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 23 mm Material Polypropylene, Polyester, Stainless Steel Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1260 Pcs Box Length 520 mm Box Width 230 mm Box Width 230 mm Box Height 150 mm Product Diameter 50 mm Width 50 mm Width 50 mm Gross Weight 0.0113 kg Net Weight 0.001275 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Dishwasher) 33 °Celsius Max. usage temperature (non food contact) 60 °Celsius Min. usage temperature -20 °Celsius <t< th=""><td>Commodity Code</td><td>96039099</td></t<>	Commodity Code	96039099
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Use of Phthalates (e.g. Bisphenol A) Is Halal compliant Yes Bristle Description Medium Visible bristle length Zisma Material Polypropylene, Polyester, Stainless Steel Colour White Box Quantity Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1260 Pcs Box Length Sox Width 230 mm Box Width 230 mm Froduct Diameter Length Width Forduct Diameter Length Width Sox mm Gross Weight Cubik metre Country of origin Denmark Max cleaning temperature (Autoclave) Max. cleaning temperature (Pishwasher) Max. usage temperature (For food contact) Max. usage temperature Min. usage tempera	Suitable for Food Contact (EU 1935/2004), DoC	Yes
Manufacturing Practice 1 es Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 23 mm Material Polypropylene, Polyester, Stainless Steel Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1260 Pcs Box Length 520 mm Box Width 230 mm Box Height 150 mm Product Diameter 50 mm Length 510 mm Width 50 mm Height 50 mm Gross Weight 0.113 kg Net Weight 0.001275 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. usage temperature (Ilshwasher) 33 °Celsius Max. usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. usage temperature -20 °Celsius	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Bristle Description Medium Visible bristle length 23 mm Material Polypropylene, Polyester, Stainess States Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1260 Pcs Box Length 520 mm Box Width 230 mm Box Height 150 mm Product Diameter 50 mm Length 510 mm Width 50 mm Gross Weight 0.113 kg Net Weight 0.093 kg Cubik metre 0.001275 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Oishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature 20 °Celsius Min. pH-value in usage concentration 2		Yes
Bristle Description Medium Visible bristle length 23 mm Material Polypropylene, Polyester, Stainless Steel Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1260 Pcs Box Length 520 mm Box Width 230 mm Box Height 150 mm Product Diameter 50 mm Length 510 mm Width 50 mm Height 50 mm Gross Weight 0.113 kg Net Weight 0.093 kg Cubik metre 0.001275 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 "Celsius Max. cleaning temperature (Dishwasher) 93 "Celsius Max. usage temperature (for food contact) 80 "Celsius Max usage temperature (non food contact) 80 "Celsius Min. usage temperature -20 "Celsius Min. pt-value in usage concentration 2	Use of Phthalates (e.g. Bisphenol A)	No
Visible bristle length 23 mm Material Polypropylene, Polyester, Stainless Steel Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1260 Pcs Box Length 520 mm Box Width 230 mm Box Height 150 mm Product Diameter 50 mm Length 510 mm Width 50 mm Height 50 mm Gross Weight 0.113 kg Net Weight 0.001275 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 "Celsius Max. cleaning temperature (Dishwasher) 93 "Celsius Max. usage temperature (for food contact) 80 "Celsius Max usage temperature (non food contact) 80 "Celsius Min. usage temperature -20 "Celsius Min. usage temperature in usage concentration 2	Is Halal compliant	Yes
MaterialPolypropylene, Polyester, Stainless SteelColourWhiteBox Quantity15 Pcs.Quantity per Pallet (80 x 120 x 200 cm)1260 PcsBox Length520 mmBox Width230 mmBox Height150 mmProduct Diameter50 mmLength510 mmWidth50 mmHeight50 mmGross Weight0.113 kgNet Weight0.093 kgCubik metre0.001275 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (For food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius	Bristle Description	Medium
Colour White Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1260 Pcs. Box Length 520 mm Box Width 230 mm Box Height 150 mm Product Diameter 50 mm Length 510 mm Width 50 mm Height 50 mm Gross Weight 0.113 kg Net Weight 0.093 kg Cubik metre 0.001275 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. usage temperature -20 °Celsius	Visible bristle length	23 mm
Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1260 Pcs Box Length 520 mm Box Width 230 mm Box Height 150 mm Product Diameter 50 mm Length 510 mm Width 50 mm Height 50 mm Gross Weight 0.113 kg Net Weight 0.093 kg Cubik metre 0.001275 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Material	
Quantity per Pallet (80 x 120 x 200 cm)1260 PcsBox Length520 mmBox Width230 mmBox Height150 mmProduct Diameter50 mmLength510 mmWidth50 mmHeight50 mmGross Weight0.113 kgNet Weight0.093 kgCubik metre0.001275 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)33 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Colour	White
Box Length520 mmBox Width230 mmBox Height150 mmProduct Diameter50 mmLength510 mmWidth50 mmHeight50 mmGross Weight0.113 kgNet Weight0.093 kgCubik metre0.001275 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Quantity	15 Pcs.
Box Width 230 mm Box Height 150 mm Product Diameter 50 mm Length 510 mm Width 50 mm Height 50 mm Gross Weight 50 mm Country of origin 0.001275 M Country of origin 0.001275 M Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Min. usage temperature (autoclave) 121 °Celsius Min. usage temperature (autoclave) 121 °Celsius Min. usage temperature (autoclave) 121 °Celsius Max. usage temperature (autoclave) 121 °Celsius Min. usage temperature (autoclave) 121 °C	Quantity per Pallet (80 x 120 x 200 cm)	1260 Pcs
Box Height150 mmProduct Diameter50 mmLength510 mmWidth50 mmHeight50 mmGross Weight0.113 kgNet Weight0.093 kgCubik metre0.001275 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Length	520 mm
Product Diameter 50 mm Length 510 mm Width 50 mm Height 50 mm Gross Weight 0.113 kg Net Weight 0.093 kg Cubik metre 0.001275 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature (-20 °Celsius Min. pH-value in usage concentration 2	Box Width	230 mm
Length510 mmWidth50 mmHeight50 mmGross Weight0.113 kgNet Weight0.093 kgCubik metre0.001275 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature-20 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Height	150 mm
Width50 mmHeight50 mmGross Weight0.113 kgNet Weight0.093 kgCubik metre0.001275 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Product Diameter	50 mm
Height 50 mm Gross Weight 0.113 kg Net Weight 0.093 kg Cubik metre 0.001275 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature (non food contact) 2	Length	510 mm
Gross Weight 0.113 kg Net Weight 0.093 kg Cubik metre 0.001275 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 80 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Width	50 mm
Net Weight0.093 kgCubik metre0.001275 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Height	50 mm
Cubik metre0.001275 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Gross Weight	0.113 kg
Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Net Weight	0.093 kg
Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Cubik metre	0.001275 M
Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Country of origin	Denmark
Max. usage temperature (for food contact)80 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max cleaning temperature (Autoclave)	121 °Celsius
Max usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. cleaning temperature (Dishwasher)	93 °Celsius
Min. usage temperature -20 °Celsius Min. pH-value in usage concentration 2	Max. usage temperature (for food contact)	80 °Celsius
Min. pH-value in usage concentration 2	Max usage temperature (non food contact)	80 °Celsius
	Min. usage temperature	-20 °Celsius
Max. pH-value in Usage Concentration 10.5	Min. pH-value in usage concentration	2
	Max. pH-value in Usage Concentration	10.5

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.		