Item number: 5380906

Pipe Cleaning Brush f/handle, Ø90 mm, Medium, Yellow





Fits all Vikan-handles. Vikan's tube cleaner is effective for cleaning of various kinds of tubes. Suitable for cleaning of meat mincers in a butchery shop.

Technical data

GTIN-14 Number 157050253808095 Commodity Code 96039099 Suitable for Food Contact (EU 1935/2004), DoC Yes FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Medium Bristle Description Medium Material Polypropylene, Polyester, Stainless Steel Colour Yellow Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Box Longth 360 mm Box Width 290 mm Box Height 175 mm Product Diameter 90 mm Length 160 mm Width 90 mm Gross Weight 0.171 kg Net Weight 0.01296 M Cubik metre 0.001296 M Country of origin Denmark Max. cleaning temperature (Autoclave) 121 "Celsius Max. usage temperature (Insteader) 20 "Celsius Min	Gtin-13 Number	5705025380698
Suitable for Food Contact (EU 1936/2004), DoC Yes FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2008/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 30 mm Material Polypropylene, Polyester, Stainless Stee Colour Yellow Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Box Length 380 mm Box Width 290 mm Box Height 175 mm Product Diameter 90 mm Length 160 mm Width 90 mm Gross Weight 0.171 kg Net Weight 0.143 kg Cubik metre 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (non food contact) 40 °Celsius <td>GTIN-14 Number</td> <td>15705025380695</td>	GTIN-14 Number	15705025380695
FDA compliant raw material (CFR 21) Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 30 mm Material Polypropylene, Polyester, Stainless Steel Colour Yellow Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Box Length 380 mm Box Width 290 mm Box Height 175 mm Product Diameter 90 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0.171 kg Net Weight 0.172 kg Cubik metre 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 "Celsius Max. cleaning temperature (For food contact) 40 "Celsius Max. usage temperature (for food contact) 40 "Celsius Min. us	Commodity Code	96039099
Produced according to EU Regulation 2023/2008/EC of Good Manufacturing Practice Yes Use of Phthalates (e.g. Bisphenol A) No Is Halal compliant Yes Bristle Description Medium Visible bristle length 30 mm Material Polypropylene, Polyester, Stainless Steel Colour Yellow Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Box Length 380 mm Box Width 290 mm Box Height 175 mm Product Diameter 90 mm Length 160 mm Width 90 mm Gross Weight 0.174 kg Net Weight 0.174 kg Cubik metre 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 "Celsius Max. cleaning temperature (Dishwasher) 90 °Celsius Max. usage temperature (non food contact) 40 °Celsius Min. usage temperature -20 °Celsius	Suitable for Food Contact (EU 1935/2004), DoC	Yes
Manufacturing Practice Use of Phthalates (e.g. Bisphenol A) Is Halal compliant Yes Bristle Description Medium Visible bristle length 30 mm Material Polypropylene, Polyester, Stainless Steel Colour Yellow Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Box Length 380 mm Box Height 175 mm Box Height 175 mm Product Diameter 90 mm Uidth 90 mm Width 90 mm Width 90 mm Gross Weight 0.171 kg Net Weight 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) Max. usage temperature (for food contact) Max usage temperature (non food contact) Max usage temperature (non food contact) Max usage temperature (non food contact) Minimusage temperature (10 shussian sharing tables) Medium Medium Medium Medium Nedour Polypropylene, Polyester, Stainless Steel Polypropylene, Polyester, Stainless Steel Polypropylene, Polyester, Stainless Medium Nedour Polypropylene, Polyester, Stainless Steel Polypropylene, Polyester, Stainless Nedourn Medium Nedourn Polypropylene, Polyester, Stainless Steel Polypropylene, Polyester, Stainless Steel Polypropylene, Polyester, Stainless Nedourn Polypropylene, Polyester, Stainless Nedourn Polypropylene, Polyester, Stainless Steel Polypropylene, Polyester, Stainless Steel Polypropylene, Polyester, Stainless Polypropylene, Polyster, Stainless Polypropylene, Polyester, Stainless Polypropylene, Polyster, Stainless Polypropylene, Polyester, Stainless Polypropylene, Polyester, Stainless Polypropylene, Polyester, Stainless Polypropylene, Polye	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Bristle Description Medium Visible bristle length 30 mm Material Polypropylene, Polyester, Stainless Steel Colour Yellow Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Box Length 380 mm Box Width 290 mm Box Height 175 mm Product Diameter 90 mm Length 160 mm Width 90 mm Gross Weight 0.171 kg Net Weight 0.171 kg Cubik metre 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max. usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius		Yes
Bristle Description Medium Visible bristle length 30 mm Material Polypropylene, Polyester, Staties Steed Colour Yellow Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Box Length 380 mm Box Width 290 mm Box Height 175 mm Product Diameter 90 mm Length 160 mm Width 90 mm Gross Weight 0.171 kg Net Weight 0.143 kg Cubik metre 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius	Use of Phthalates (e.g. Bisphenol A)	No
Visible bristle length 30 mm Material Polypropylene, Polyester, Stainless Steel Colour Yellow Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Box Length 380 mm Box Width 290 mm Box Height 175 mm Product Diameter 90 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0.171 kg Net Weight 0.143 kg Cubik metre 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius	Is Halal compliant	Yes
Material Polypropylene, Polyester, Stainless Steel Colour Yellow Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Box Length 380 mm Box Width 290 mm Box Height 175 mm Product Diameter 90 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0.171 kg Net Weight 0.143 kg Cubik metre 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) Max. usage temperature (Dishwasher) 90 °Celsius Max. usage temperature (non food contact) Max usage temperature (non food contact) Min. usage temperature (non food contact)	Bristle Description	Medium
Colour Yellow Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Box Length 380 mm Box Width 290 mm Box Height 175 mm Product Diameter 90 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0.171 kg Net Weight 0.143 kg Cubik metre 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius	Visible bristle length	30 mm
Box Quantity 12 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Box Length 380 mm Box Width 290 mm Box Height 175 mm Product Diameter 90 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0.171 kg Net Weight 0.143 kg Cubik metre 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius	Material	
Quantity per Pallet (80 x 120 x 200 cm)960 PcsBox Length380 mmBox Width290 mmBox Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmHeight90 mmGross Weight0.171 kgNet Weight0.143 kgCubik metre0.001296 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °Celsius	Colour	Yellow
Box Length 380 mm Box Width 290 mm Box Height 175 mm Product Diameter 90 mm Length 160 mm Width 90 mm Width 90 mm Height 90 mm Gross Weight 0.171 kg Net Weight 0.143 kg Cubik metre 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature (-20 °Celsius	Box Quantity	12 Pcs.
Box Width 290 mm Box Height 175 mm Product Diameter 90 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0.171 kg Net Weight 0.143 kg Cubik metre 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature —20 °Celsius	Quantity per Pallet (80 x 120 x 200 cm)	960 Pcs
Box Height175 mmProduct Diameter90 mmLength160 mmWidth90 mmHeight90 mmGross Weight0.171 kgNet Weight0.143 kgCubik metre0.001296 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °Celsius	Box Length	380 mm
Product Diameter 90 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0.171 kg Net Weight 0.143 kg Cubik metre 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature (-20 °Celsius	Box Width	290 mm
Length160 mmWidth90 mmHeight90 mmGross Weight0.171 kgNet Weight0.143 kgCubik metre0.001296 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °Celsius	Box Height	175 mm
Width90 mmHeight90 mmGross Weight0.171 kgNet Weight0.143 kgCubik metre0.001296 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °Celsius	Product Diameter	90 mm
Height 90 mm Gross Weight 0.171 kg Net Weight 0.143 kg Cubik metre 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius	Length	160 mm
Gross Weight0.171 kgNet Weight0.143 kgCubik metre0.001296 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °Celsius	Width	90 mm
Net Weight 0.143 kg Cubik metre 0.001296 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius	Height	90 mm
Cubik metre0.001296 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °Celsius	Gross Weight	0.171 kg
Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °Celsius	Net Weight	0.143 kg
Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °Celsius	Cubik metre	0.001296 M
Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °Celsius	Country of origin	Denmark
Max. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °Celsius	Max cleaning temperature (Autoclave)	121 °Celsius
Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius	Max. cleaning temperature (Dishwasher)	93 °Celsius
Min. usage temperature -20 °Celsius	Max. usage temperature (for food contact)	40 °Celsius
	Max usage temperature (non food contact)	80 °Celsius
Min. pH-value in usage concentration 2	Min. usage temperature	-20 °Celsius
	Min. pH-value in usage concentration	2
Max. pH-value in Usage Concentration 10.5	Max. pH-value in Usage Concentration	10.5

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.		