

This floor scrubbing broom has firm bristles. The bristle length is perfect for scrubbing all types of floors; epoxy, tiles, cement, etc. It also reaches well into holes and grouting to remove hidden dirt.

## **Technical data**

GTIN-14 Number         15705020708083           Commodity Code         96039099           Sultable for Food Contact (EU 1935/2004), DoC         Yes           FDA compliant raw material (CFR 21)         Yes           Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Use of Phthalates (e.g. Bisphenol A)         No           Is Halal compliant         Yes           Bristle Description         Hard           Visible bristle length         46 mm           Material         Polypropylene, Polyester, Stainless Steel           Colour         Yellow           Box Quantity         16 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         512 Pcs           Box Length         610 mm           Box Width         300 mm           Box Width         305 mm           Width         85 mm           Width         85 mm           Width         0.812 kg           Net Weight         0.812 kg           Cubik metre         0.002852 M           Coubik metre         0.002852 M           Country of origin         Denmark           Max. cleaning temperature (Autoclave)         121 *Celsius           Max. usage temperature (Dishwasher) </th <th>Gtin-13 Number</th> <th>5705020706066</th>	Gtin-13 Number	5705020706066
Suitable for Food Contact (EU 1935/2004), DoC       Yes         FDA compliant raw material (CFR 21)       Yes         Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice       Yes         Use of Phthalates (e.g. Bisphenol A)       No         Is Halal compliant       Yes         Bristle Description       Hard         Visible bristle length       46 mm         Material       Polypropylene, Polyester, Stainless Steel         Colour       Yellow         Box Quantity       16 Pcs.         Quantity per Pallet (80 x 120 x 200 cm)       512 Pcs.         Box Length       610 mm         Box Width       300 mm         Box Height       215 mm         Length       305 mm         Width       85 mm         Height       110 mm         Gross Weight       0.612 kg         Net Weight       0.587 kg         Cubik metre       0.002852 M         Country of origin       Denmark         Max cleaning temperature (Autoclave)       121 "Celsius         Max. cleaning temperature (Dishwasher)       93 "Celsius         Max. usage temperature (non food contact)       40 "Celsius         Min. usage temperature       -20 "Celsius	GTIN-14 Number	15705020706063
FDA compliant raw material (CFR 21)         Yes           Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Use of Phthalates (e.g. Bisphenol A)         No           Is Halal compliant         Yes           Bristle Description         Hard           Visible bristle length         46 mm           Material         Polypropylene, Polyester, Stainless Steel           Colour         Yellow           Box Quantity         16 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         512 Pcs           Box Length         610 mm           Box Width         300 mm           Box Height         215 mm           Length         305 mm           Width         85 mm           Height         110 mm           Gross Weight         0.612 kg           Net Weight         0.587 kg           Cubik metre         0.002852 M           Country of origin         Denmark           Max cleaning temperature (Autoclave)         121 "Celsius           Max. cleaning temperature (For food contact)         40 "Celsius           Max usage temperature (non food contact)         40 "Celsius           Min. usage temperature         -20 "Celsius	Commodity Code	96039099
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice       Yes         Use of Phthalates (e.g. Bisphenol A)       No         Is Halal compliant       Yes         Bristle Description       Hard         Visible bristle length       46 mm         Material       Polypropylene, Polyester, Stainless Steel         Colour       Yellow         Box Quantity       16 Pcs.         Quantity per Pallet (80 x 120 x 200 cm)       512 Pcs         Box Length       610 mm         Box Width       300 mm         Box Height       215 mm         Length       305 mm         Width       85 mm         Height       110 mm         Gross Weight       0.612 kg         Net Weight       0.587 kg         Cubik metre       0.002852 M         Country of origin       Denmark         Max cleaning temperature (Autoclave)       121 "Celsius         Max. cleaning temperature (Dishwasher)       93 "Celsius         Max. usage temperature (for food contact)       40 "Celsius         Min. usage temperature       -20 "Celsius         Min. usage temperature (non food contact)       80 "Celsius         Min. usage temperature (non food contact)       80 "Celsius	Suitable for Food Contact (EU 1935/2004), DoC	Yes
Manufacturing Practice  Use of Phthalates (e.g. Bisphenol A)  Is Halal compliant  Pessitle Description  Material  Polypropylene, Polyester, Stainless Steel  Colour  Pellow  Box Quantity  16 Pcs.  Quantity per Pallet (80 x 120 x 200 cm)  Sox Length  Box Width  Box Width  Box Width  Box Height  Length  Width  Box Height  Cross Weight  October  Country of origin  Max. cleaning temperature (Autoclave)  Max. usage temperature (for food contact)  Min. usage temperature  Min. pH-value in usage concentration	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant     Yes       Bristle Description     Hard       Visible bristle length     46 mm       Material     Polypropylene, Polyester, Stainless Steel       Colour     Yellow       Box Quantity     16 Pcs.       Quantity per Pallet (80 x 120 x 200 cm)     512 Pcs       Box Length     610 mm       Box Width     300 mm       Box Height     215 mm       Length     305 mm       Width     85 mm       Height     110 mm       Gross Weight     0.612 kg       Net Weight     0.587 kg       Cubik metre     0.002852 M       Country of origin     Denmark       Max cleaning temperature (Autoclave)     121 "Celsius       Max. cleaning temperature (Dishwasher)     93 "Celsius       Max. usage temperature (for food contact)     40 "Celsius       Min. usage temperature     -20 "Celsius       Min. usage temperature     -20 "Celsius       Min. pH-value in usage concentration     2		Yes
Bristle Description     Hard       Visible bristle length     46 mm       Material     Polypropylene, Polyester, Stainless Steel       Colour     Yellow       Box Quantity     16 Pcs.       Quantity per Pallet (80 x 120 x 200 cm)     512 Pcs       Box Length     610 mm       Box Width     300 mm       Box Height     215 mm       Length     305 mm       Width     85 mm       Height     110 mm       Gross Weight     0.612 kg       Net Weight     0.587 kg       Cubik metre     0.002852 M       Country of origin     Denmark       Max cleaning temperature (Autoclave)     121 °Celsius       Max. cleaning temperature (Dishwasher)     93 °Celsius       Max. usage temperature (for food contact)     40 °Celsius       Min. usage temperature (non food contact)     80 °Celsius       Min. usage temperature     -20 °Celsius       Min. pH-value in usage concentration     2	Use of Phthalates (e.g. Bisphenol A)	No
Visible bristle length46 mmMaterialPolypropylene, Polyester, Stainless SteelColourYellowBox Quantity16 Pcs.Quantity per Pallet (80 x 120 x 200 cm)512 PcsBox Length610 mmBox Width300 mmBox Height215 mmLength305 mmWidth85 mmHeight110 mmGross Weight0.612 kgNet Weight0.587 kgCubik metre0.002852 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °Celsius	Is Halal compliant	Yes
MaterialPolypropylene, Polyester, Stainless SteelColourYellowBox Quantity16 Pcs.Quantity per Pallet (80 x 120 x 200 cm)512 PcsBox Length610 mmBox Width300 mmBox Height215 mmLength305 mmWidth85 mmHeight110 mmGross Weight0.612 kgNet Weight0.587 kgCubik metre0.002852 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Bristle Description	Hard
Colour         Yellow           Box Quantity         16 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         512 Pcs           Box Length         610 mm           Box Width         300 mm           Box Height         215 mm           Length         305 mm           Width         85 mm           Height         110 mm           Gross Weight         0.612 kg           Net Weight         0.587 kg           Cubik metre         0.002852 M           Country of origin         Denmark           Max cleaning temperature (Autoclave)         121 °Celsius           Max. cleaning temperature (Dishwasher)         93 °Celsius           Max. usage temperature (for food contact)         40 °Celsius           Max usage temperature (non food contact)         80 °Celsius           Min. pH-value in usage concentration         2	Visible bristle length	46 mm
Box Quantity         16 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         512 Pcs           Box Length         610 mm           Box Width         300 mm           Box Height         215 mm           Length         305 mm           Width         85 mm           Height         110 mm           Gross Weight         0.612 kg           Net Weight         0.587 kg           Cubik metre         0.002852 M           Country of origin         Denmark           Max cleaning temperature (Autoclave)         121 °Celsius           Max. cleaning temperature (Dishwasher)         93 °Celsius           Max. usage temperature (for food contact)         40 °Celsius           Max usage temperature (non food contact)         80 °Celsius           Min. usage temperature         -20 °Celsius           Min. pH-value in usage concentration         2	Material	
Quantity per Pallet (80 x 120 x 200 cm)         512 Pcs           Box Length         610 mm           Box Width         300 mm           Box Height         215 mm           Length         305 mm           Width         85 mm           Height         110 mm           Gross Weight         0.612 kg           Net Weight         0.587 kg           Cubik metre         0.002852 M           Country of origin         Denmark           Max cleaning temperature (Autoclave)         121 °Celsius           Max. cleaning temperature (Dishwasher)         93 °Celsius           Max. usage temperature (for food contact)         40 °Celsius           Max usage temperature         -20 °Celsius           Min. usage temperature         -20 °Celsius           Min. pH-value in usage concentration         2	Colour	Yellow
Box Length610 mmBox Width300 mmBox Height215 mmLength305 mmWidth85 mmHeight110 mmGross Weight0.612 kgNet Weight0.587 kgCubik metre0.002852 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature40 °CelsiusMin. usage temperature-20 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Quantity	16 Pcs.
Box Width 300 mm Box Height 215 mm Length 305 mm Width 85 mm Height 110 mm Gross Weight 0.612 kg Net Weight 0.587 kg Cubik metre 0.002852 M Country of origin Denmark Max cleaning temperature (Autoclave) 121 °Celsius Max. cleaning temperature (Dishwasher) 93 °Celsius Max. usage temperature (for food contact) 40 °Celsius Max usage temperature (non food contact) 80 °Celsius Min. usage temperature -20 °Celsius Min. usage temperature -20 °Celsius	Quantity per Pallet (80 x 120 x 200 cm)	512 Pcs
Box Height215 mmLength305 mmWidth85 mmHeight110 mmGross Weight0.612 kgNet Weight0.587 kgCubik metre0.002852 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Length	610 mm
Length305 mmWidth85 mmHeight110 mmGross Weight0.612 kgNet Weight0.587 kgCubik metre0.002852 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Width	300 mm
Width85 mmHeight110 mmGross Weight0.612 kgNet Weight0.587 kgCubik metre0.002852 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Box Height	215 mm
Height 110 mm  Gross Weight 0.612 kg  Net Weight 0.587 kg  Cubik metre 0.002852 M  Country of origin Denmark  Max cleaning temperature (Autoclave) 121 °Celsius  Max. cleaning temperature (Dishwasher) 93 °Celsius  Max. usage temperature (for food contact) 40 °Celsius  Max usage temperature (non food contact) 80 °Celsius  Min. usage temperature -20 °Celsius  Min. pH-value in usage concentration 2	Length	305 mm
Gross Weight0.612 kgNet Weight0.587 kgCubik metre0.002852 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Width	85 mm
Net Weight0.587 kgCubik metre0.002852 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Height	110 mm
Cubik metre0.002852 MCountry of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Gross Weight	0.612 kg
Country of originDenmarkMax cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Net Weight	0.587 kg
Max cleaning temperature (Autoclave)121 °CelsiusMax. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Cubik metre	0.002852 M
Max. cleaning temperature (Dishwasher)93 °CelsiusMax. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Country of origin	Denmark
Max. usage temperature (for food contact)40 °CelsiusMax usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max cleaning temperature (Autoclave)	121 °Celsius
Max usage temperature (non food contact)80 °CelsiusMin. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. cleaning temperature (Dishwasher)	93 °Celsius
Min. usage temperature-20 °CelsiusMin. pH-value in usage concentration2	Max. usage temperature (for food contact)	40 °Celsius
Min. pH-value in usage concentration 2	Max usage temperature (non food contact)	80 °Celsius
	Min. usage temperature	-20 °Celsius
Max. pH-value in Usage Concentration 10.5	Min. pH-value in usage concentration	2
	Max. pH-value in Usage Concentration	10.5

use, e.g. high risk vs. low risk food production areas	s, general hospital areas vs	. intensive care units, before use.