

Safety Eyewear

Honeywell



SIMPLICITY, COMFORT, SUPERIOR EYE & CHEEK COVERAGE, LARGE VIEWING AREA

Millennia® 2G
Changing the Eyes of Safety

You told us it is time for a change

“ Give us a simple, comfortable pair of eyewear that does not need to be adjusted, that still offers excellent eye and cheek coverage, has great peripheral and panoramic vision, zero slippage in the nasal area and a great style to boost wearer acceptance! ”

Safety Manager
That's why we created **Millennia® 2G**.



Together, we're changing the eyes of safety

We have listened to you and your workers. You have clearly explained what your needs are and together we have developed **Millennia® 2G**. The newest safety eyewear from Honeywell Safety Product, the **Millennia® 2G** features simplicity, excellent protection, comfortable fit and stylish design.


NEW to our "Put it On and Go!" category

| | |
|---|--|
| SIMPLICITY "PUT IT ON AND GO!" | Millennia® 2G is new to Honeywell's "Put it On and Go" category, designed for those hassle-free workers who don't want to worry about adjustments or moving parts with their spectacles. No need to worry about lengthening temples, nose piece adjustments or ratcheting temples. Simply take the product out of the package, put it on and focus on the job at hand! |
| COMFORT | Softer, more flexible frame material for superior comfort against the head and ears when worn for all-day wear. |
| SUPERIOR EYE AND CHEEK COVERAGE | Covers the eyes and areas above the cheeks and brow to ensure that the workers are protected from particulates, dust and other impact risks. A greater lens coverage wrap both peripherally and along the cheeks helps prevent particulate risk. A "shelf-like" design element along the brow has been added to help to prevent dust from dropping in between the frame and entering the eyes. |

| | |
|------------------------------------|--|
| LARGE VIEWING AREA | Offers panoramic viewing area to see more both frontally and peripherally while working. Less "frame interruption", which is a typical complaint from end-users when trying to look towards the left, right, above and below to see clearly in all directions. |
| NASAL COMFORT AND STABILITY | The comfortable nose pads help prevent the eyewear from slipping off the nose and forcing the worker to have to readjust their eyewear throughout the course of the work day. |
| SPORTY, MORE MODERN FRAME | Classic and simple in design with a sporty touch to boost worker compliance. |

Millennia® 2G Safety Eyewear

MILLENNIA® 2G IS AVAILABLE IN A WIDE VARIETY OF LENS TINTS TO MEET A BROAD RANGE OF WORKING CONDITIONS AND SITUATIONS.

| REFERENCE | FRAME | LENS | TREATMENT | LENS MARKING | |
|-----------|---|-------|------------------------|---------------------|--------------------------------|
| 1032175 |  | Black | Clear | Anti-Scratch | 2C-1.2 HON 1 FT K |
| 1032176 |  | Black | Grey | Anti-Scratch | 2C-2.5 / 5-2.5 HON 1 FT K |
| 1032177 |  | Black | Yellow HDL | Anti-Scratch | 2C-1.2 HON 1 FT K |
| 1032178 |  | Black | Silver I/O (In/Out) | Anti-Scratch | 2C-1.7 / 5-1.7 HON 1 FT K |
| 1032179 |  | Black | Clear | Fogban/Anti-Scratch | 2C-1.2 HON 1 FT K N |
| 1032180 |  | Black | Grey | Fogban/Anti-Scratch | 2C-2.5 / 5-2.5 HON 1 FT K N |
| 1032181 |  | Black | Yellow HDL | Fogban/Anti-Scratch | 2C-1.2 HON 1 FT K N |
| 1032182 |  | Black | IR3 | Anti-Scratch | 3 HON 1 FT K |
| 1032183 |  | Black | IR5 | Anti-Scratch | 5 HON 1 FT K |

Certified to the requirements of the **EN166 standards**.

Millennia® 2G is sold with a lanyard.

Lead them to safety – Build an enduring culture of safety where employees make safe choices on their own: www.honeywellsafety.com

HONEYWELL SAFETY PRODUCTS

UNITED KINGDOM

Honeywell Safety Products UK LTD
Unit 3 Elmwood
Chineham Park
Basingstoke RG24 8WG
United Kingdom
Phone: +44 (0) 1256 693 200
Fax: +44 (0) 1256 693 300
Email: info-uk.hsp@honeywell.com

INTERNATIONAL

Honeywell Safety Products Europe SAS
Immeuble Edison Paris Nord 2
33, rue des Vanesses
CS 55288 Villepinte
95958 Roissy CDG Cedex – France
Phone: +33 (0)1 49 90 79 79
Fax: +33 (0)1 49 90 71 04
Email: info-export.hsp@honeywell.com

Honeywell